



NIKKO Nikko Hansen Co., Ltd.
URL <https://www.nikko-hansen.com>

Sales Department
4-15-5 Tenma, Kita-ku, Osaka, Osaka 530-0043
TEL: 06-4801-7727 FAX: 06-6358-5577

For orders, please contact the following distributor

Laboratory Equipment for Research and Development - Product Catalog

PRODUCTS

NIKKO & **AS ONE**

NIKKO
JAPAN

PRODUCTS

NEW LINE UP

New products developed by NIKKO



Small PP Screw Cap Bottle

Release of long-awaited small containers

New small PP container up to 10~125 mL.
Liquid leakage prevention by inner seal.
Autoclavable.

Posted on
page 13



ECO Plastic Biomass N Bottle

CO₂ Reduction

It is a carbon neutral ecological product.

Posted on
page 8



Fluorine Gas Coating Container

Can be used with organic solvents that could not be used.

New addition of 50 mL
2 series: Standard and Shading.
PP beaker was standardized.

Posted on
page 9



Wide Mouth Standard Bottle NEW Line-up ① (160 mL)

The 160 mL capacity of the glass bottle was added to the standard product.

2 series: Standard and Shading.

Posted on
page 18



Wide Mouth Standard Bottle NEW Lineup ② (10 L)

Added 10 L with lower total height.

Good stability, ideal for storage.

Posted on
page 18




PP Disposable Beaker 20 mL

Ideal as a small disposable cup

Proven as a measuring cup.

Posted on
page 35



You can watch product videos and information on your mobile phone!

By scanning the QR code, you can check videos on how to use the product, option information, and related materials information.

Some products have QR codes in the text.



P. 12
Sealed Bottle (TLA)



P. 12
Sealed Bottle (Nozzle)



P. 14
JP Bottle



P. 15
J Bottle Round



P. 26
Taper Jar

NIKKO WebSite RENEWAL

Nikko Hansen Home Page Renewal

<https://www.nikko-hansen.com>

Home page renewal!

Real time provision of product information and simplification of searches with digital catalogs. (Can be viewed on PCs and smartphones)



How to obtain "Product Drawings" from the homepage

[There are two types of possible procurement methods]

■ Procurement method 1.....
Product information ⇒ Container ⇒ Click here for details ⇒
⇒ Click on product code (orange part)!

■ Procurement method 2.....
1 Click on the digital catalog!
↓
2 Click on the catalog cover!
↓
3 Click on item number in the catalog!
↓
4 Procure the product drawing!



Shiga plant

Operation started at the Shiga plant from May 2020



We will continue to improve quality and production efficiency to provide better products by using this catalog.

<Shiga plant>

4707 Aono-cho, Higashiomi City, Shiga 527-0232

CONTAINER

Contents & Guide

Catalog Information

Containers

Our basic technologies of plastic blow molding and injection molding are used to create containers of all shapes using a wide range of materials, from high-performance resins to general-purpose resins, that meets a wide range of market needs.

Instruments

We provide laboratory instruments that can meet a wide range of needs of factories and research institutes in various fields, and various experiments from basic to applied experiments conducted in analytical laboratories and schools.

Devices

We use plastic materials to provide best quality and performance. Also, these products are available at low cost. We deliver laboratory equipment that is easy to use and meets market needs.



Pictogram referral

Pictogram for sales

	Individual item sales mark The items are sold in units of 1 piece.		Case sales mark The items are sold in case units.		Pack sales mark The items are sold in units of packs.
	Sample mark Sample items are available.		Small box sales mark The items are sold in units of small boxes.		No return mark Due to the nature of the product, this product cannot be returned.

Quality pictogram

	No inner cap mark No inner cap. This specification eliminates the need to attach an inner cap.		Packing mark Packing specifications are in place.		Material mark Material of each product is shown.
	Autoclavable mark This product is autoclavable.		Operating temperature range mark Indicates the operating temperature range of each product.		

When using this catalog

- Plastic products have different chemical resistance depending on the material, and may leak or deform depending on operating conditions such as density and temperature. Be sure to use the product after verifying it in a practical experiment using a sample product. (Refer to the list of chemical resistance performances of various materials at the end of this document.)
- When using our products in large quantities or in special environments such as high or low temperatures, be sure to consult us in advance or conduct a quality test on a sample product.
- We are constantly striving to improve our products. Therefore, please note that the product specifications may be changed or the product may be discontinued without prior notice.
- Prices shown in this catalog do not include consumption tax. Separate charges will apply.
- Prices of listed products are as of November 2021. Please note that the prices are subject to change due to price fluctuations, product improvements, and other circumstances.

Functional Containers

NEW ECO PLASTIC	07
NEW Biomass N Bottle plus+	08
Fluorine gas-coated container	09
Fluorine gas-coated PP beaker	10
Gas barrier property evaluation test	10
Shape change evaluation test	10
Clean bottle with advanced cleaning technology	11
Sealed bottle (TLA)	12
Sealed bottle (TEA)	12

Container

NEW Small Container	13
JP bottle	14
J bottle (Round)	15
J bottle (Square type)	16
Standard bottle (Round narrow mouth)	17
Standard bottle (Round wide mouth)	18
Standard bottle (Square narrow/wide mouth) Natural	19
NP bottle	20
Sterile water sampling bottle	21
PET screw vials (transparent/shading)	22
Push vial	22
Flat square can (1 mouth)	23
Flat square can (1 mouth) wide mouth	23
Flat square can (2 mouths)	24
Flat square can (1 mouth) gray	24
Conformal can (1 Port)	24
Bottle with lever cock	25
Bottle with easy cock	25
lime water sampling bottle	25
Taper jar (Round/Square)	26
Taper tank	26
Levercock/Easycock	26
Union container	27
Ointment container NK Type	28
PP clear jar	28
TPX® techno bottle	29
PC techno bottle	29
Polycarbonate large bottle	30
Multi bottle	31
CAPS & DISPENSERS	32
Trigger bottle	33
PFA Bottle	34
PFA Bottle (With Inside Plug)	34
PP Bottle	35
Disposable Cup (Vacuum Type & Blow Molding)	35
Standard cap/Standard inner cap	36

Instrument

PP disposable beaker	37
PE beaker with handle	37
TPX® beaker	38
PP beaker	38
TPX® beaker with handle	39
PP beaker with handle	39
PC measuring cup	40
PP measuring cup	40
TPX® conical beaker	41
TPX® erlenmeyer flask	41
TPX® volumetric flask	41
PP conical beaker	42
PP erlenmeyer flask	42
PP volumetric flask	42
TPX® graduated cylinder	43
PP graduated cylinder	43
Chemical measuring cylinder	44
PS (Polystyrene) water tank	44
Easy dropper	45
Chemical dropper	45
Disposable dropper	45
Plastic universal dropper	45
J washing bottle	46
Name-in washing bottle	46
Poly funnel	46

Equipment

Polycarbonate desiccator	47
Small vacuum pot	48

End of the book

List of chemical resistance of various materials	49
Outline of molding method	51

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot

CO₂ Reduction

In the long run, climate change, typically global warming, is an important issue to be addressed on a global scale.

The carbon-neutral nature of biomass means that it does not increase the concentration of CO₂ in the atmosphere, thereby contributing to the prevention of global warming and the reduction of dependence on fossil resources.


Biomass plastic

This plastic is made from plant-derived raw materials manufactured from sugar cane instead of petroleum resources.

Although carbon dioxide is also produced when waste is burned, plants absorb carbon dioxide through photosynthesis, thereby reducing carbon dioxide emissions.

(Carbon neutral)

When manufactured from 100% biomass plastic, CO₂ emissions can be reduced by approximately 70%.



Biodegradable plastics can also be manufactured

Low cost, 100% biodegradable, leaves no microplastics

Just adding 1% to 3% to conventional petroleum-derived raw materials can turn it into biodegradable plastic. Depending on the amount added and the product, it will decompose to CH₄ and CO₂ within 6 months to 3 years after land reclamation. It is effective for biodegradation in oxygen-free environments such as reclaimed lands and seabeds, and is designed to be triggered by anaerobic conditions to initiate decomposition and it is safe because it does not leave behind microplastics like conventional oxidizing additives.

NEW

Biomass bottle

Biomass N Bottle plus+

Bio-plastic bottles are standardized in consideration of global warming.

This product can contribute to eco-friendly carbon neutrality.



Clean Bottle				
Product Number	Model No.	Capacity	Pack quantity (piece/pack)	Quantity (piece/case)
4-5190-01	BNW-100-25%	100mL	10	200
4-5190-02	BNW-250-25%	250mL	25	200
4-5190-03	BNW-500-25%	500mL	50	100
4-5190-04	BNW-1000-25%	1L	100	50

※The cleaning bottle is non-returnable.

Features

- It has the same performance as conventional petroleum-derived products.
- This product is made from biomass polyethylene that reduces CO₂ emissions by 70%. Only biomass polyethylene is added to the cap.
- It is not a biodegradable plastic, so it does not decompose naturally.

Size Table				
Capacity	Dimension (mm)			
	A	B	C	D
100mL	φ31.5	φ50	91.5	94.0
250mL	φ31.5	φ63	129.5	132.0
500mL	φ42.5	φ80	152.5	155.0
1L	φ42.5	φ98	190.0	193.0

※Dimensions have tolerances.

Specifications

- Material: Body/High Density Polyethylene (HDPE) Cap/Polypropylene (PP), Packing/TPE, Operating Temperature Range/0 to 75°C

Individual item sales mark
The items are sold in units of 1 piece.

Pack sales mark
The items are sold in units of packs.

Small box sales mark
The items are sold in units of small boxes.

Case sales mark
The items are sold in case units.

Sample mark
Sample items are available.

No return mark
Due to the nature of the product, this product cannot be returned.

Packing mark
Packing specifications are in place.

No inner cap mark
No inner cap: This specification eliminates the need to attach an inner cap.

PP Material mark
Material of each product is shown.

Autoclavable mark
This product is autoclavable.

Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

ECO PLASTIC
Fluorine gas coating
Clean bottle (Washing bottle)
Sealed bottle
Containers
Small container
JP bottle
J bottle
Standard bottle
NP bottle
Sterile water sampling bottle
Vial (PET screw)
Vial (Push)
Flat square can
Bottle with cock
Taper jar/tank
Cock
Square box
Ointment container
PP clear jar

Techno bottle
Large polycarbonate bottle
Multi bottle
Trigger bottle

Instruments

Disposable beaker PE hand beaker
Beaker (TPX/PP no handle)
Beaker (TPX/PP with handle)
Measuring cup (PC/PP)
Beaker (Conical)
Flask
Cylinder
Water tank
Dropper
Washing bottle
Funnel
Devices
Desiccator
Small vacuum pot

Organic solvents that could not be used before can now be used!

Fluorine gas coating

Body HDPE Body Cap PP Packing TPE Inner cap LLDPE 0~70℃

By contacting the resin container with fluorine gas and scientifically altering the surface, we were able to add new functionality without changing the original physical properties. Since it is not a laminated coating, there is no peeling off and the effect lasts for a very long time.


Fluorine gas-coated container (JP bottle)



Fluorine gas-coated container (J bottle wide mouth)



Fluorine gas treatment technology



Fluorine coat layer
Directly fluorinated fluorine coat layer. Demonstrates fluorine-like performance.

Polyolefin
The property of polyolefin as a base material is maintained.

Fluorine gas-coated container (J bottle wide mouth shading)



Fluorine gas-coated container (Flat square can wide mouth)



Product Number	Product Name	Model No.	Capacity	Dimension (mm)				Quantity (piece/case)
				A	B	C	D	
3-7327-01	Fluorine gas-coated container (JP bottle)	JPF	100mL	φ31.5	φ50	93	96	200
3-7327-02		JPF	250mL		φ63	128	131	200
3-7327-03		JPF	500mL	φ45.0	φ77	158	161	100
3-7327-04		JPF	1000mL		φ96	195	198	50
3-7327-05	Fluorine gas-coated container (J bottle wide mouth)	JPF	2000mL	φ92.0	φ120	248	253	36
3-7328-06		JFW	50mL	φ21.5	φ39	76.5	79	500
3-7328-01		JFW	100mL	φ31.5	φ50	91.5	94	200
3-7328-02		JFW	250mL	φ42.5	φ63	129.5	132	200
3-7328-03	Fluorine gas-coated container (J bottle wide mouth shading)	JFW	500mL		φ80	152.5	155	100
3-7328-04		JFW	1000mL	φ85.0	φ98	190	193	50
3-7328-05		JFW	2000mL		φ125	244	248.5	36
3-8294-05		JFWB	50mL	φ21.5	φ39	76.5	79	500
3-8294-01	Fluorine gas-coated container (J bottle wide mouth shading)	JFWB	100mL	φ31.5	φ50	91.5	94	200
3-8294-02		JFWB	250mL		φ63	129.5	132	200
3-8294-03		JFWB	500mL	φ42.5	φ80	152.5	155	100
3-8294-04		JFWB	1000mL		φ98	190	193	50
3-7329-01	Fluorine gas-coated container (Flat square can wide mouth)	HFW	10L	φ98.5	320×140	326	336	18
3-7329-02		HFW	20L		351.5×180	437	439	5

*Sales unit is 1 piece.

*The above products are only available as bottles.

Features

- Prevention of deformation of containers (swelling and depression)
- Prevention of container deterioration
- Improvement of chemical resistance
- Prevention of odor leakage and label peeling
- Substitution of fluorine containers (low cost)
- Replacement of glass container (prevention of cracking)

Specifications

- Material: Body/Polypropylene (PP)(3-7327-01-05), High Density Polypropylene (HDPE) Cap/Polypropylene (PP), High Density Polypropylene (HDPE) (3-7329-01 and 02 Only)
- Packing/TPE(3-7328-01-06, 3-8294-01-05)
- Inner Cap/Linear polyethylene (LLDPE)

Precautions during use

- Please rinse several times before use (lukewarm water or cleaning solution).
- It is coated with fluorine, but the basic material is PE or PP, so please avoid using it at high temperature.
- Please handle it so that it does not damage the container when rinsing.
- Do not expose to open flame.

*Please refer to P.14, 15 and 23 for details about the container.

*Fluorine gas treatment is possible for containers other than the above products. Please contact us.

NEW

Fluorine Gas-Coated PP Beaker

Cap PP 0~70℃



Features

- Improvement of chemical resistance
- Prevention of container deterioration

Specifications

- Material: Body/Polypropylene (PP)

Individual item delivery

Fluorine Gas-Coated PP Beaker


Product Number	Model No.	Capacity	Pack quantity (piece/pack)	Quantity (piece/case)
4-5049-01	PPBF-50	50mL	250	250
4-5049-02	PPBF-100	100mL	200	200
4-5049-03	PPBF-200	200mL	100	100
4-5049-04	PPBF-300	300mL	130	130
4-5049-05	PPBF-500	500mL	60	60
4-5049-06	PPBF-1000	1000mL	24	24

*Sales unit is 1 piece.

Size Table

Capacity	Dimension (mm)			
	A	B	C	D
50mL	55.0	φ51.0	φ46.0	61.0
100mL	65.0	φ61.0	φ54.5	71.0
200mL	79.5	φ74.0	φ65.0	90.5
300mL	92.5	φ86.0	φ76.5	105.0
500mL	104.0	φ96.0	φ88.5	125.5
1000mL	129.0	φ119.5	φ107.0	154.0

(Unit: mm)




Gas Barrier Property Evaluation Test Against Organic Solvents


[Experimental methods]

Add 150 ml solution to fluorine-coated JPF500 and conventional JP500, seal with a cap, and allow to sit for 30 days. Measure the weight change and indicate it on the graph.


Gas barrier property of xylene




Gas barrier property of toluene



Gas barrier property of chlorobenzene




Gas barrier property of n-hexane




[Experimental methods]

Add 150 ml solution to fluorine-coated JFW500 and conventional J-Bottle500, seal with a cap, and allow it to sit for 30 days. Measure the weight change and indicate it on the graph.


Gas barrier property of xylene




Gas barrier property of toluene



Gas barrier property of chlorobenzene



Gas barrier property of n-hexane



[Other solvents] Butanone... Ethylbenzene... Acetone... Lamp oil (Kerosene)... (R)-(+)-Limonene...

*Weight change less than 1%... Data is based on actual measurements and cannot be guaranteed. Test with a sample before use.


Evaluation Results of Change in Shape due to Organic Solvents

[Experimental methods]

Add approximately 150 ml solution to each container, seal with a cap, and allow it to sit for 30 days. Check for changes in the shape of the container.

Container	Solvent	Xylene	Toluene	Chlorobenzene	n-hexane
JP500	Drop in liquid level	Drop in liquid level	Drop in liquid level	Drop in liquid level	Drop in liquid level
JPF500	Drop in liquid level	Drop in liquid level	Drop in liquid level	Drop in liquid level	Drop in liquid level
J-Hiro500	Drop in liquid level	Drop in liquid level	Drop in liquid level	Drop in liquid level	Drop in liquid level
JFW500	Drop in liquid level	Drop in liquid level	Drop in liquid level	Drop in liquid level	Drop in liquid level

Photograph of deformation 30 days after xylene injection



Lot description on the bottom of the bottle



*Data is based on actual measurements and cannot be guaranteed. Test with a sample before use.

Individual item sales mark
The items are sold in units of 1 piece.Pack sales mark
The items are sold in units of packs.Small box sales mark
The items are sold in units of small boxes.Case sales mark
The items are sold in case units.Sample mark
Sample items are available.No return mark
Due to the nature of the product, this product cannot be returned.Packing mark
Packing specifications are in place.No inner cap mark
No inner cap: This specification eliminates the need to attach an inner cap.PP Material mark
Material of each product is shown.Autoclave mark
This product is autoclavable.Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

- ECO PLASTIC
- Fluorine gas coating
- Clean bottle (Washing bottle)
- Sealed bottle

Containers

- Small container
- JP bottle
- J bottle
- Standard bottle
- NP bottle
- Sterile water sampling bottle
- Vial (PET screw)
- Vial (Push)
- Flat square can
- Bottle with cock
- Taper jar/tank
- Cock

- Square box
- Ointment container
- PP clear jar
- Techno bottle
- Large polycarbonate bottle
- Multi bottle
- Trigger bottle

Instruments

- Disposable beaker
- PE hand beaker
- Beaker (TPX/PP no handle)
- Beaker (TPX/PP with handle)
- Measuring cup (PC/PP)
- Beaker (Conical)

- Flask
- Cylinder
- Water tank
- Dropper
- Washing bottle
- Funnel

Devices

- Desiccator
- Small vacuum pot

Clean bottle with advanced cleaning technology

No inner cap Packing TPE Body HDPE Cap PP

Washing bottle



- Double clean pack products with advanced cleaning technology
- Purified water washing in Class 100 and 1000 cleanrooms
- Vacuum-packed delivery

Achieve maximum surface cleanliness essential for high-precision industries!!

This surface contamination control system is essential for high-precision industries as a post-process in dissolving foreign matter with solvents. We use ultra-pure water with an upper limit of 18.3 MΩ (theoretical resistivity) → lower limit of 16.0 MΩ in combination with a charge neutralizer to control the cleaning of sub-micron size particles and to contribute to stable production in high-precision industries through surface cleaning technology close to extreme limits.



Cleaning flow



Clean Bottle

Product Number	Model No.	Capacity	Pack quantity (piece/pack)	Quantity (piece/case)
11-0502-05	JPS-100	100mL	5	200
11-0503-05	JPS-250	250mL		
11-0504-05	JPS-500	500mL	2	100
11-0505-05	JPS-1000	1L	1	50

※Sales unit is 1 pack.

※The cleaning bottle is a non-returnable product.

Features

- JP bottle is washed with pure water in a clean room and double packed in a Class 100 environment.

Specifications

- Material: Body/Cap/Polypropylene (PP)
- Operating temperature range: 0 to 98°C



Clean Bottle

Product Number	Model No.	Capacity	Pack quantity (piece/pack)	Quantity (piece/case)
15-1512-05	JWS-100	100mL	5	200
15-1513-05	JWS-250	250mL		
15-1514-05	JWS-500	500mL	2	100
15-1515-05	JWS-1000	1L	1	50

※Sales unit is 1 pack.

※The cleaning bottle is a non-returnable product.

Features

- J bottle is washed with pure water in a clean room and double packed in a Class 100 environment.

Specifications

- Material: Body/High Density Polyethylene (HDPE), Cap/Polypropylene (PP), Packing (TPE)
- Operating temperature range: 0 to 75°C



● Please refer to P. 16 and P.17 for details on the container. ● Containers other than the above products can also be washed.

Packing that can confirm the opening of the cap Sealed bottle (TLA)

No inner cap Body HDPE Cap PP Packing TPE Operating temperature range 0°C ~ 70°C



Sealed bottle (TLA)

(You can watch the video.)



Sealed bottle nozzle

(You can watch the video.)



Product Number	Model No.	Capacity	Quantity (piece/case)
3-374-01	TLA-1000	1L	56
3-374-03	TLA-4000	4L	36


Product Number	Model No.	Capacity	Quantity (piece/case)
3-374-02	TLA-2000	2L	48
3-374-04	TLA-5000	5L	32
3-374-11	TL Nozzle		

※Sales unit is 1 piece.

Size Table

Model No.	Dimension (mm)		
	A	B	C
TLA-1000	φ 32.6	86.0	250.0
TLA-2000		98×176	206.0
TLA-4000		126×215	248.5
TLA-5000	φ 33.0	128×230	260.0
TL Nozzle	φ 10.2	φ 44	46.0

※Dimensions have tolerances.



Specifications


- Body/HDPE, Cap/Polypropylene (PP)
- Packing/Polyethylene (PE), Nozzle/Polyethylene (LDPE)
- No scale
- Operating temperature range: 0 to 70°C



Features

- This time we have added 2L, 5L and nozzle.
- Easy to check the opening and ideal as a product container.
- It can be crushed easily. (Reduction of disposal costs)
- It is designed to be easy to inject because the handle part is inclined.
- ※Nozzles are optional. (Not included with container)
- ※By using the nozzle, you can transfer smoothly.
- ※If you purchase only the nozzle, you will need to pay shipping fee.

Mouth structure



It has a seal band that can tell at a glance if the cap has been opened. Sealed bottle (TEA) <2L added.>


No inner cap Body HDPE Cap PP Inner cap LDPE Operating temperature range 0°C ~ 70°C



Features

- The cap has an inner plug and can be used as an inner plugless container.
- Safety design without torque back during transportation and without leakage of contents.
- It is easy to purchase as it comes with the body and cap.
- Since there is no scale on the body, it is ideal as a product container.
- 5 items from 100 ml to 2000 ml can be used for the common cap.

Mouth structure



Specifications


- Body/High Density Polyethylene (HDPE), Cap/Polypropylene (PP), Integrated Inner Plug/Linear Polyethylene (LDPE)
- Operating temperature range: 0 to 70°C
- No scale (only 2L has scale)



Size Table

Capacity	Dimension (mm)			
	A	B	C	D
100mL		φ 52	84.5	89.5
250mL		φ 62	126.0	131.0
500mL	φ 32	φ 75	161.0	166.0
1L		φ 95	195.0	200.0
2L		φ 125	243.0	248.0

※Dimensions have tolerances.



NEW

※Sales unit is 1 piece.

Packing mark
Packing specifications are in place.

No inner cap mark
No inner cap. This specification eliminates the need to attach an inner cap.

PP Material mark
Material of each product is shown.

Autoclave mark
This product is autoclavable.

Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

- ECO PLASTIC
- Fluorine gas coating
- Clean bottle (Washing bottle)
- Sealed bottle

Containers

- Small container
- JP bottle
- J bottle
- Standard bottle
- NP bottle
- Sterile water sampling bottle
- Vial (PET screw)
- Vial (Push)
- Flat square can
- Bottle with cock
- Taper jar/tank

- Cock
- Square box
- Ointment container
- PP clear jar
- Techno bottle
- Large polycarbonate bottle
- Multi bottle
- Trigger bottle

Instruments

- Disposable beaker
- PE hand beaker
- Beaker (TPX/PP no handle)
- Beaker (TPX/PP with handle)
- Measuring cup (PC/PP)
- Beaker (Conical)
- Flask
- Cylinder
- Water tank
- Dropper
- Washing bottle
- Funnel
- Devices
- Desiccator
- Small vacuum pot

NEW

Ideal for storing small amount of samples and products.

Small PP Screw Cap Bottle

No inner cap PP Autoclavable Operating temperature range 0℃~121℃



Clean Bottle


Product Number	Model No.	Capacity	Pack quantity (piece/pack)	Quantity (piece/pack)
4-5189-01	JSP-N-10	10mL	100	500
4-5189-02	JSP-N-20	20mL	100	500
4-5189-03	JSP-N-30	30mL	100	500
4-5189-04	JSP-N-60	60mL	100	300
4-5189-05	JSP-N-125	125mL	100	200

※Sales unit is 1 pack.
※The cleaning bottle is a non-returnable product.

Features

- Ideal for storing small amount of samples and products.
- Autoclavable
- Inner seal prevents leakage.
- No scale

Size Table

Capacity	Dimension (mm)				 (Unit: mm)	
	A	B	C	D		
10mL	φ14.0	φ25.0	56.5	59.0	<div>A=Mouth inner diameter B=Body diameter C=Height without lid D=Height with lid</div>	< No inner cap >
20mL		φ28.5	62.0	64.5		
30mL		φ32.5	69.0	71.5		
60mL		φ19.5	φ39.0	84.0		
125mL	φ50.5		101.5	104.0		

※Dimensions have tolerances.

< No inner cap >

Specifications


- Material: Body/Cap/Polypropylene (PP)
- Operating temperature range: 0 to 121℃



Washing bottle


We offer precision cleaning services for a wide variety of products listed in our catalog.

How to Order



Achieves ultimate surface cleaning that is essential for high-precision industries!!

This surface contamination control system is indispensable for high-precision industries as a post-process in dissolving foreign matter with solvents. We use ultra-pure water with an upper limit of 18.3 MΩ (theoretical resistivity) → lower limit of 16.0 MΩ in combination with a charge neutralizer to control the cleaning of sub-micron size particles and to contribute to stable production in high-precision industries through surface cleaning technology close to extreme limits.



It is a transparent stretchable PP bottle that does not break easily.

JP Bottle

No inner cap Body Cap PP Operating temperature range 0℃~98℃



JP bottle (Clear)

JP Bottle (Clear)

Product Number	Model No.	Capacity	Scale (ml)	Quantity (piece/case)
11-0102-55	JP-100	100mL	10	200
11-0103-55	JP-250	250mL	25	
11-0104-55	JP-500	500mL	50	100
11-0105-55	JP-1000	1L	100	50
11-0106-55	JP-2000	2L	200	36

※Sales unit is 1 piece. (Sterilized type is 1 case)

JP Bottle (Shading)

Product Number	Model No.	Capacity	Scale (ml)	Quantity (piece/case)
11-0202-55	JP-100A	100mL	10	200
11-0203-55	JP-250A	250mL	25	
11-0204-55	JP-500A	500mL	50	100
11-0205-55	JP-1000A	1L	100	50
11-0206-55	JP-2000A	2L	200	36

※Sales unit is 1 piece. (Sterilized type is 1 case)

Features


- This is the world's first transparent stretching PP bottle.
- Since the mouth part is injection molded, there is no need for an inner plug, and it has been cleared for the vacuum leakage test.
- Stretch blow molding makes the arrangement of molecules constant and greatly increases strength and transparency.

Specifications

- Material: Body/Cap/Polypropylene (PP)
- Operating temperature range: 0 to 98℃
- Sterilized by EOG (ethylene oxide gas sterilization)



■ Cross section of the bottle mouth




Size Table

Capacity	Filling Capacity mL	Dimension (mm)			
		A	B	C	D
100mL	133	φ31.5	φ50	93	96
250mL	298		φ63	128	131
500mL	588	φ45.0	φ77	158	161
1L	1120		φ96	195	198
2L	2400		φ120	248	253

※Dimensions and capacity have tolerances.

■ JP bottle shading UV transmittance data



JP Bottle
(You can watch the video.)




JP bottle (Shading)

Product No. for sterilized type	Capacity	Scale (ml)	Quantity (piece/case)
11-0302-55	100mL	10	200
11-0303-55	250mL	25	
11-0304-55	500mL	50	100
11-0305-55	1L	100	50
11-0306-55	2L	200	36

※Sterilized products will be arranged after receiving an order. (not kept as inventory)
※Sterilized products are non-returnable.

Product No. for sterilized type	Capacity	Scale (ml)	Quantity (piece/case)
11-0402-55	100mL	10	200
11-0403-55	250mL	25	
11-0404-55	500mL	50	100
11-0405-55	1L	100	50
11-0406-55	2L	200	36

※Sterilized products will be arranged after receiving an order. (not kept as inventory)
※Sterilized products are non-returnable.



A=Mouth inner diameter
B=Body diameter
C=Height without lid
D=Height with lid

Individual item sales mark
The items are sold in units of 1 piece.

Pack sales mark
The items are sold in units of packs.

Small box sales mark
The items are sold in units of small boxes.

Case sales mark
The items are sold in case units.

Sample mark
Sample items are available.

No return mark
Due to the nature of the product, this product cannot be returned.

Packing mark
Packing specifications are in place.

No inner cap mark
No inner cap: This specification eliminates the need to attach an inner cap.

PP Material mark
Material of each product is shown.

Autoclavable Autoclave mark
This product is autoclavable.

Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

ECO PLASTIC

Fluorine gas
coatingClean bottle
(Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water
sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with
cock

Taper jar/tank

Cock

Square box

Ointment
container

PP clear jar

Techno bottle

Large polycarbonate
bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker
PE hand beakerBeaker (TPX/PP
no handle)Beaker (TPX/PP
with handle)Measuring cup
(PC/PP)Beaker
(Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum
pot

No inner stopper is required and will not leak.

J Bottle (Round)

No inner
capBody
HDPECap
PP

Packing

0℃~75℃

J Bottle (Round)
(You can watch the video.)

J bottle, round, narrow mouth (natural)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
15-0011-55	50mL	5	500
15-0012-55	100mL	10	
15-0018-55	200mL	20	
15-0013-55	250mL	25	200
15-0019-55	300mL		
15-0014-55	500mL	50	100
15-0015-55	1L	100	50
15-0016-55	2L	200	36

※Sales unit is 1 piece. (Sterilized type is 1 case)

J bottle, round, narrow mouth (shading)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
15-2011-55	50mL	5	500
15-2012-55	100mL	10	
15-2013-55	250mL	25	
15-2014-55	500mL	50	100
15-2015-55	1L	100	50
15-2016-55	2L	200	36

※Sales unit is 1 piece. (Sterilized type is 1 case)

J bottle, round, wide mouth (natural)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
15-1011-55	50mL	10	500
15-1012-55	100mL	10	
15-1018-55	200mL	20	
15-1013-55	250mL	25	200
15-1019-55	300mL		
15-1014-55	500mL	50	100
15-1015-55	1L	100	50
15-1016-55	2L	200	36

※Sales unit is 1 piece. (Sterilized type is 1 case)


J bottle, round, wide mouth (shading)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
15-3011-55	50mL	10	500
15-3012-55	100mL	10	
15-3013-55	250mL	25	
15-3014-55	500mL	50	100
15-3015-55	1L	100	50
15-3016-55	2L	200	36

※Sales unit is 1 piece. (Sterilized type is 1 case)

Narrow mouth Size Table


Capacity	Outer dimension (mm)			
	A	B	C	D
50mL	φ 11.5	φ 38	71.0	73.5
100mL	φ 11.5	φ 50	91.5	94.0
200mL	φ 21.5	φ 60	116.0	118.5
250mL		φ 63	129.5	132.0
300mL	φ 21.5	φ 65	133.5	136.0
500mL		φ 80	152.5	155.0
1L	φ 31.5	φ 98	190.0	192.5
2L	φ 42.5	φ 125	244.0	247.0

A=Mouth inner diameter
B=Body diameter
C=Height without lid
D=Height with lid

※Dimensions have tolerances.

Wide mouth Size Table

Capacity	Outer dimension (mm)			
	A	B	C	D
50mL	φ 21.5	φ 39	76.5	79.0
100mL	φ 21.5	φ 50	91.5	94.0
200mL		φ 60	116.0	118.5
250mL	φ 31.5	φ 63	129.5	132.0
300mL		φ 65	133.5	136.0
500mL	φ 42.5	φ 80	152.5	155.0
1L		φ 98	190.0	193.0
2L	φ 85.0	φ 125	244.0	248.5

A=Mouth inner diameter
B=Body diameter
C=Height without lid
D=Height with lid


※Dimensions have tolerances.

Features

- The elastomer gasket is insert-molded to prevent leakage even without a stopper.
- The gasket is elastic and adheres closely to the bottle mouth to prevent leakage.

Specifications

- Material: Body/High-density polyethylene (HDPE), Cap/Polypropylene (PP), Gasket/(TPE)
- Operating temperature range: 0 to 75℃
- Sterilized by EOG (ethylene oxide gas sterilization)

Patented Cap
Patent Application
No. 08-297257

Rectangular container for easy storage.

J Bottle (Square)

No inner
capBody
HDPECap
PP

Packing

0℃~75℃



J bottle, square, narrow mouth (natural)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
15-4001-55	100mL	10	200
15-4002-55	250mL	25	
15-4003-55	500mL	50	100
15-4004-55	1L	100	50

※Sales unit is 1 piece. (Sterilized type is 1 case)

J bottle, square, narrow mouth (shading)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
15-6001-55	100mL	10	200
15-6002-55	250mL	25	
15-6003-55	500mL	50	100
15-6004-55	1L	100	50

※Sales unit is 1 piece. (Sterilized type is 1 case)

J bottle, square, wide mouth (natural)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
15-5001-55	100mL	10	200
15-5002-55	250mL	25	
15-5003-55	500mL	50	100
15-5004-55	1L	100	50

※Sales unit is 1 piece. (Sterilized type is 1 case)


J bottle, square, wide mouth (shading)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
15-7001-55	100mL	10	200
15-7002-55	250mL	25	
15-7003-55	500mL	50	100
15-7004-55	1L	100	50

※Sales unit is 1 piece. (Sterilized type is 1 case)

Narrow mouth Size Table

Capacity	Outer dimension (mm)			
	A	B	C	D
100mL	21.8	φ 46	91.0	93.5
250mL		φ 52	138.5	141.0
500mL	φ 31.8	φ 66	166.5	169.0
1L		φ 82	208.0	210.5

A=Mouth inner diameter
B=Body diameter
C=Height without lid
D=Height with lid

※Dimensions have tolerances.

Wide mouth Size Table

Capacity	Outer dimension (mm)			
	A	B	C	D
100mL	φ 31.8	φ 46	91.0	93.5
250mL		φ 52	138.5	140.5
500mL	φ 42.5	φ 66	166.5	169.5
1L		φ 82	208.0	211.0

A=Mouth inner diameter
B=Body diameter
C=Height without lid
D=Height with lid


※Dimensions have tolerances.

Features

- The elastomer gasket is insert-molded to prevent leakage even without a stopper.
- The gasket is elastic and adheres closely to the bottle mouth to prevent leakage.

Specifications

- Material: Body/High-density polyethylene (HDPE), Cap/Polypropylene (PP), Gasket/(TPE)
- Operating temperature range: 0 to 75℃
- Sterilized by EOG (ethylene oxide gas sterilization)

Patented Cap
Patent Application
No. 08-297257

Packing

Packing mark
Packing specifications
are in place.No inner
capNo inner cap mark
No inner cap. This specification
eliminates the need to attach
an inner cap.

PP

Material mark
Material of each product is shown.

Autoclavable

Autoclave mark
This product is autoclavable.

0℃~75℃

Operating temperature range mark
Indicates the operating temperature range of
each product.

Functional Containers

- ECO PLASTIC
- Fluorine gas coating
- Clean bottle (Washing bottle)
- Sealed bottle

Containers

- Small container
- JP bottle
- J bottle
- Standard bottle
- NP bottle
- Sterile water sampling bottle
- Vial (PET screw)

Vial (Push)

- Flat square can
- Bottle with cock
- Taper jar/tank
- Cock
- Square box
- Ointment container
- PP clear jar
- Techno bottle
- Large polycarbonate bottle
- Multi bottle
- Trigger bottle

Instruments

- Disposable beaker
- PE hand beaker
- Beaker (TPX/PP no handle)
- Beaker (TPX/PP with handle)
- Measuring cup (PC/PP)
- Beaker (Conical)
- Flask
- Cylinder
- Water tank

Dropper

Washing bottle

Funnel

Devices

- Desiccator
- Small vacuum pot

Best-selling standard bottle with inner cap
Standard Bottle (Round narrow mouth)

Body HDPE Inner cap LLDPE Cap PP/HDPE Operating temperature range 0℃~70℃



Narrow mouth (shading)



Standard bottle, round narrow mouth (natural)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
10-2701-55	20mL	5	400
10-2702-55	30mL		300
10-2703-55	50mL		350
10-2704-55	100mL	10	200
10-2705-55	250mL	25	160
10-2706-55	300mL		130
10-2707-55	500mL	50	75
10-2708-55			40
10-2728-55		50	
10-2709-55	2L	100	36
10-2710-55	3L		
10-2711-55	5L	—	
10-2712-55	10L	500	20
10-2713-55	20L	—	6
10-2714-55	30L		5
10-2715-55	50L		

※-10-2807 and -2808 are packed separately.(cap and inner cap) ※Sales unit is 1 piece.
-For 10-2727 and -2728, the cap and inner cap are set in the body. (Sterilized type is 1 case)
-The cap and inner stopper are not set in the body for 10-2709, -2710, -2711, and -2712.

Standard bottle, round, narrow mouth (shading)


Product Number	Capacity	Scale (mL)	Quantity (piece/case)
2-5076-01	100mL	10	200
2-5076-02	250mL	25	160
10-3103-55	500mL	50	75
2-5076-03	500mL		40
10-3104-55	1L		
2-5076-04	2L	100	36
2-5076-05	3L		
2-5076-06	5L		
2-5076-07	10L	500	20
2-5076-08	20L	—	

※-10-2807 and -2808 are packed separately.(cap and inner cap) ※Sales unit is 1 piece.
-For 2-5076-03 and -04, the cap and inner cap are set in the body. (Sterilized type is 1 case)
-2-5076-05, -06, -07, -08 packed separately.(cap and inner cap)

Narrow mouth Size Table

Capacity	Dimensions (mm)				Capacity	Dimensions (mm)			
	A	B	C	D		A	B	C	D
20mL	φ 11.5	φ 32.0	47.0	49.5	2L	φ 33.5	φ 124.0	260.0	264.5
30mL		φ 31.0	66.0	68.5	3L		φ 145.5	296.5	301.0
50mL		φ 38.0	71.0	73.5	5L		φ 172.5	345.0	350.0
100mL	φ 16.7	φ 46.0	92.0	95.0	10L		φ 219.5	373.0	378.0
250mL		φ 61.5	126.0	129.0	20L		φ 305.0	461.0	466.0
300mL		φ 66.5	142.5	145.5	30L		φ 310.0	588.0	593.0
500mL	φ 22.5	φ 80.0	165.0	168.0	50L	φ 98.5	φ 382.0	597.0	603.0
1L		φ 99.0	199.0	202.0					

※Dimensions have tolerances.



Specifications

- Material: Body/High-density polyethylene (HDPE), Cap/Polypropylene (PP), High-density polyethylene (HDPE), Inner cap/Linear polyethylene (LLDPE)
- Operating temperature range: 0 to 70℃
- Sterilized by EOG (ethylene oxide gas sterilization)

Best-selling standard bottle with inner cap
Standard Bottle (Round wide mouth)

Body HDPE Inner cap LLDPE Cap PP/HDPE Operating temperature range 0℃~70℃



Wide mouth (natural)

Wide mouth (shading)

Standard bottle, round wide mouth (natural)

Product Number	Capacity	Scale (mL)	Quantity (piece/case)
10-2801-55	20mL	—	400
10-2802-55	30mL		300
10-2803-55	50mL		350
10-2804-55	100mL		200
10-2816-55	160mL		200
10-2805-55	250mL		160
10-2806-55	300mL		130
10-2807-55	500mL		75
10-2827-55	1L		40
10-2808-55	1L		36
10-2809-55	2L	200	
10-2810-55	3L	100	
10-2811-55	5L	—	20
10-2812-55	10L		16
10-2817-55	10 L short		6
10-2813-55	20L	5000	5
10-2814-55	30L		
10-2815-55	50L		

※-10-2807 and -2808 are packed separately.(cap and inner cap) ※Sales unit is 1 piece.
-For 10-2827 and -2828, the cap and inner cap are set in the body.

Standard bottle, round, wide mouth (shading)



Product Number	Capacity	Scale (mL)	Quantity (piece/case)
2-5077-01	100mL	—	200
2-5077-08	160mL		200
2-5077-02	250mL		160
10-3203-55	500mL	75	75
2-5077-03	500mL		40
10-3204-55	1L		
2-5077-04	1L	200	36
2-5077-05	2L		
2-5077-06	3L		
2-5077-07	5L	—	20
2-5077-09	10L		

※-10-3203 and -3204 do not come with caps and stoppers. ※Sales unit is 1 case.
-For 10-3223 and -3224, the cap and inner cap are set in the body.

Size Table

Capacity	Dimensions (mm)				Capacity	Dimensions (mm)			
	A	B	C	D		A	B	C	D
20mL	φ 21.0	φ 31.0	43.0	45.5	2L	φ 85.0	φ 125.0	244.0	250.0
30mL		φ 31.0	58.0	60.5	3L		φ 145.5	292.5	298.5
50mL		φ 39.0	74.0	77.5	5L		φ 169.5	313.0	319.0
100mL	φ 35.5	φ 47.5	89.0	92.0	10L		φ 222.5	346.0	352.0
160mL		φ 55.0	106.0	110.0	10 L short	φ 84.5	φ 250.0	295.0	302.0
250mL		φ 63.5	120.0	124.0	20L	φ 98.5	φ 305.0	466.0	472.0
300mL	φ 29.5	φ 67.0	138.0	142.0	30L	φ 180.0	φ 310.0	570.0	576.0
500mL		φ 80.0	153.5	157.5	50L		φ 382.0	625.0	632.0
1L		φ 98.0	192.5	196.5					

※Dimensions have tolerances.



Specifications

- Material: Body/High-density polyethylene (HDPE), Cap/Polypropylene (PP), High-density polyethylene (HDPE), Inner cap/Linear polyethylene (LLDPE)
- Operating temperature range: 0 to 70℃
- Sterilized by EOG (ethylene oxide gas sterilization)

Functional Containers

- ECO PLASTIC
- Fluorine gas coating
- Clean bottle (Washing bottle)
- Sealed bottle

Containers

- Small container
- JP bottle
- J bottle
- Standard bottle
- NP bottle
- Sterile water sampling bottle
- Vial (PET screw)

Vial (Push)

- Flat square can
- Bottle with cock
- Taper jar/tank
- Cock
- Square box
- Ointment container
- PP clear jar
- Techno bottle
- Large polycarbonate bottle
- Multi bottle
- Trigger bottle

Instruments

- Disposable beaker
- PE hand beaker
- Beaker (TPX/PP no handle)
- Beaker (TPX/PP with handle)
- Measuring cup (PC/PP)
- Beaker (Conical)
- Flask
- Cylinder
- Water tank

Dropper

Washing bottle

Funnel

Devices

- Desiccator
- Small vacuum pot

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle
(Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water
sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with
cock

Taper jar/tank

Cock

Square box

Ointment
container

PP clear jar

Techno bottle

Large polycarbonate
bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP
no handle)Beaker (TPX/PP
with handle)Measuring cup
(PC/PP)Beaker
(Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum
pot

Ideal for water quality testing

Sterile Water Sampling Bottle

Body
HDPECap
PPOperating temperature range
0 to 70°C

Product Number	Model No.	Capacity	Scale (mL)	Quantity (piece/ case)
3-5437-21	MSM-100	100mL	50	100
3-5437-22	MSM-100H (with hypo)			
3-5438-21	MSK-200	200mL		
3-5438-22	MSK-200H(with hypo)			

※Sales unit is 1 case.

Features

- Hypo (sodium thiosulfate) containing type neutralizes chlorine.
- Sterilized by gamma ray.
- Individual package.
- The quantity is **100** pieces, which is easy to purchase.
- Caps with hypo are colored white.

Size Table

Model No.	Dimensions (mm)				(Unit: mm)
	A	B	C	D	
MSM-100	φ 33.5	φ 50.0	81.6	83.6	 A=Mouth inner diameter B=Body diameter C=Height without lid D=Height with lid
MSM-100H (with hypo)					
MSK-200					
MSK-200H (with hypo)	φ 53.2	114.0	116.0		

※Dimensions have tolerances.

Specifications

- Material: Body/high density polyethylene (HDPE), Cap/Polypropylene (PP)
- With scale

Case sales

Information about custom order

We will capitalize on all the expertise of the NIKKO brand that we have gathered so far to meet the shapes and specification requests by our customers. Please feel free to contact us.

■ Contact Information
Sales department


TEL:06-4801-7727

How to Order



No gasket or inner stopper is required for convenience.

PET Screw Vial (Transparent/Shading)

No inner cap
Body PET
Cap PP
Operating temperature range
-40 to 70°C

■ Transparent ■ Excellent transparency and resistance to breakage even if dropped.

Product Number	Model No.	Capacity	Quantity (piece/case)
1-9630-01	JST-R/N 10	10mL	50
1-9630-02	JST-R/N 15	15mL	
1-9630-03	JST-R/N 20	20mL	
1-9630-04	JST-R/N 30	30mL	
1-9630-05	JST-R/N 50	50mL	
1-9630-16	JST-R/N 60	60mL	
1-9630-17	JST-R/N 100	100mL	

※Sales unit is 1 case.

■ Shading ■ Can be used in the UV drop range.

Product Number	Model No.	Capacity	Quantity (piece/case)
17-2000-10-55	JST-R/A 10	10mL	50
17-2000-15-55	JST-R/A 15	15mL	
17-2000-20-55	JST-R/A 20	20mL	
17-2000-30-55	JST-R/A 30	30mL	
17-2000-50-55	JST-R/A 50	50mL	
17-2000-60-55	JST-R/A 60	60mL	
17-2001-00-55	JST-R/A 100	100mL	

※Sales unit is 1 case.

Affordable sample container

Push Vial

No inner cap
Body PP
Cap LLDPE
Operating temperature range
0 to 70°C

Features

- Cylindrical top for convenient storage of small amounts of sample, with push-in lid.

Specifications

- Material: Body: Polypropylene (PP), Cap: Linear polypropylene (LLDPE)
- Operating temperature range: 0 to 70°C
- No scale

Body
PP

Sample

Pack sales

Quantity per carton									
PV-1	PV-2	PV-3	PV-5	PV-10	PV-15	PV-20	PV-30	PV-50	PV-100
2000 pcs.					1000 pcs.		500 pcs.	200 pcs.	

Quantity per carton					
10mL	15mL	20mL	30mL	50mL	60mL
1000 pcs.					500 pcs.

Size Table

Model No.	Filling Capacity	Dimensions (mm)				(Unit: mm)
		A	B	C	D	
JST-R/N 10	13.0mL	φ 14.0	φ 24.0	44.0	46.5	 A=Mouth inner diameter B=Body diameter C=Height without lid D=Height with lid
JST-R/N 15	18.0mL		φ 25.0	53.5	56.0	
JST-R/N 20	23.5mL		φ 27.0	59.0	61.5	
JST-R/N 30	36.5mL	φ 19.5	φ 30.0	68.0	71.0	
JST-R/N 50	58.0mL		φ 35.0	78.5	81.5	
JST-R/N 60	73.0mL	φ 28.5	φ 40.0	73.5	76.0	
JST-R/N 100	15.0mL			108.5	111.5	

※Dimensions have tolerances.

Specifications


- Material: Body/PET resin, Cap/Polypropylene (PP)

■ Operating temperature range: -40 to 70°C

■ No scale

Small box sales

Sample



JST shading type UV Transmission Data



Packing

Packing mark
Packing specifications are in place.

No inner cap

No inner cap mark
No inner cap: This specification eliminates the need to attach an inner cap.

PP

Material mark
Material of each product is shown.

Autoclavable

Autoclave mark
This product is autoclavable.

Operating temperature range

Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot



Suitable for industrial and commercial applications

Flat Square Can (1 Port)

Packing Body HDPE Cap PP Inner cap LLDPE Operating temperature 0°C~70°C



Product Number	Capacity	Scale (mL)	Quantity (piece/case)
10-4203-55	500mL	50	100
10-4204-55	1L	100	200
10-4101-55	2L	100	90
10-4102-55	3L		60
10-4133-55	4L	500	45
10-4134-55	5L		40
10-4105-55	6L	—	20
10-4106-55	10L	1000	20
10-4107-55	20L	—	5

※Sales unit is 1 piece.

Capacity	Outer dimension(mm)			
	A	B	C	D
500mL	φ 21.5	88.0×50.5	159.0	161.5
1L		115.0×58.0	186.5	189.0
2L		144.0×79.0	238.5	234.5
3L	φ 29.5	179.0×92.5	237.5	233.5
4L		211.0×95.5	258.0	250.5
5L		220.0×100.0	283.0	277.5
6L	φ 31.5	195.0×145.0	270.0	273.5
10L	φ 29.5	261.5×137.5	359.0	352.0
20L	φ 51.5	352.5×180.0	408.0	403.0

※Dimensions have tolerances.

Features

- It has a handle that makes it easy to hold and easy to carry.
- Some model equip with rib (3L: one side, 6L/20L: both side)
- No handle and is a slim, space-saving type. (for 500mL, 1L)
- 500 mL has no inner cap, and has a J Cap specification. (P.13/14)

Specifications

- Material: Body/High density polyethylene (HDPE), Inner Cap/ Linear polyethylene (LLDPE) Cap/Polypropylene (PP)
- Operating temperature range: 0 to 70°C

Individual item delivery

Case sales



Wide-Mouth type

Flat Square Can (Wide Mouth) (1 port)

Body Cap HDPE Inner cap LLDPE Operating temperature 0°C~70°C



Product Number	Capacity	Quantity (piece/case)
5-014-11	10L	18
5-014-12	20L	5

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)		
	A	B	C
10L	φ98.5	320.0×140	336
20L	φ98.5	351.5×180	439

※Dimensions have tolerances.

Features

- Easy to inject and dispense liquid.

Specifications

- Material: Main, External lid/HDPE (High-density polyethylene) Inner Cap/Linear polyethylene (LLDPE)
- Operating temperature range: 0 to 70°C
- No scale

Individual item delivery

Case sales



Double mouth shape for easy extraction of contents

Flat Square Can (2 Ports)

Packing Body HDPE Cap PP Inner cap LLDPE Operating temperature 0°C~70°C



Features

- A wide-mouthed type with a handle for easy extraction of contents.

Specifications

- Material: Body/High density polyethylene (HDPE), Cap/Polypropylene (PP), high density polyethylene (HDPE) Inner Cap/Linear polyethylene (LLDPE)
- Operating temperature range: 0 to 70°C
- Only 5L has a scale every 500mL.

※10-4803-55, 10-4931-55, 10-4932-55 come with a nozzle.
※10-4813-55, 10-4933-05, 10-4934-05 have flat cap specifications on both ends.(nozzle not included)
※10-4813-55 and 10-4933-55 are internal plug type, and 10-4934-05 are gasket type.

Case sales

Suitable for industrial and commercial applications
Flat Square Can (1 Port) Gray

Body HDPE Cap PP Cap HDPE Inner cap LLDPE Operating temperature 0°C~70°C



Product Number	Capacity	Quantity (piece/case)
10-4501-55	5L	20
10-4502-55	10L	9
10-4503-55	20L	5

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)		
	A	B	C
5L	φ 30	145×195	236.0
10L	φ 36	165×244	331.0
20L	φ 51	352×180	408.0

※Dimensions have tolerances.

A=Mouth inner diameter B=Body diameter C=Overall height

Features

- It has a handle that makes it easy to hold and easy to carry.
- 5L has ribs on one side, 10L and 20L have ribs on both sides.

Specifications

- Material: Body/High density polyethylene (HDPE), 10L Cap/Polypropylene (PP) 5L, 20L Cap/high density polyethylene (HDPE) Inner Cap/Linear polyethylene (LLDPE)
- Operating temperature range: 0 to 70°C
- No scale

Case sales

Square shape for easy storage
Conformal Can (1 Port)

Body HDPE Cap PP Cap HDPE Inner cap LLDPE Operating temperature 0°C~70°C



Product Number	Capacity	Quantity (piece/case)
10-4601-55	10L	10
10-4602-55	20L	4

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)		
	A	B	C
10L	φ42.5	220×215	308
20L	φ51.5	257×257	392

※Dimensions have tolerances.

A=Mouth inner diameter B=Body diameter C=Overall height

Features

- Square shape for easy to storage

Specifications

- Material: Body/High density polyethylene (HDPE), 10L Cap/Polypropylene (PP) 5L, 20L Cap/high density polyethylene (HDPE) Inner Cap/Linear polyethylene (LLDPE)
- Operating temperature range: 0 to 70°C
- No scale

Case sales

Individual item sales mark
The items are sold in units of 1 piece.

Pack sales

Pack sales mark
The items are sold in units of packs.

Small box sales

Small box sales mark
The items are sold in units of small boxes.

Case sales

Case sales mark
The items are sold in case units.

Sample

Sample mark
Sample items are available.

No return

No return mark
Due to the nature of the product, this product cannot be returned.

Packing

Packing mark
Packing specifications are in place.

No inner cap

No inner cap mark
No inner cap: This specification eliminates the need to attach an inner cap.

PP

Material mark
Material of each product is shown.

Autoclave

Autoclave mark
This product is autoclavable.

Operating temperature range

Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot

Highly versatile bottle with cock
Bottle with Lever Cock

Body HDPE Cap PP, HDPE Inner cap LLDPE Cock PP Operating temperature range 0℃~90℃



Product Number	Model No.	Cock	Mouth inner diameter (mm)	Scale (ml)
10-3504-55	Narrow Mouth 5L with RC	RC-20A	φ 33.5	500
10-3505-55	Narrow Mouth 10L with RC			
10-3506-55	Narrow Mouth 20L with RC			
10-3507-55	Narrow Mouth 30L with RC			
10-3508-55	Narrow Mouth 50L with RC			
10-3604-55	Wide Mouth 5L with RC	RC-20A	φ 85.0	—
10-3605-55	Wide Mouth 10L with RC			
10-3606-55	Wide Mouth 20L with RC			
10-3607-55	Wide Mouth 30L with RC			
10-3608-55	Wide Mouth 50L with RC			
10-5201-55	Conformal type 10L with RC	RC-20A	φ 42.5	—
10-5202-55	Conformal type 20L with RC			
10-5207-55	Flat Square type 5L with RC			
10-5209-55	Flat Square type 10L with RC			
10-5210-55	Flat Square type 20L with RC			
10-5211-55	Flat Square type with wide mouth 10L with RC	RC-20A	φ 95.5	1000
10-5212-55	Flat Square type with wide mouth 20L with RC			
10-5301-55	Flat Square type (2 ports) 5L with RC			
10-5302-55	Flat Square type (2 ports) 10L with RC			
10-5303-55	Flat Square type (2 ports) 20L with RC			

※Sales unit is 1 piece. ※Please refer pages 17-19, 23, 24 for container sizes.

Features The flow rate can be adjusted by rotating the lever.

Specifications

- Material: Body/High density polyethylene (HDPE) 10-3504-55 to 10-3507-55 Cap/Polypropylene (PP)
- High density polyethylene (HDPE) 10-3508-55 to 10-5303-55, Inner plug: Linear low-density polyethylene (LLDPE), cock (PP)

Extraction vessel for supernatant liquid
Lime Water Sampling Bottle

Body HDPE Cap PP, HDPE Inner cap LLDPE Cock PP Operating temperature range 0℃~70℃



Product Number	Capacity	Cock	Mouth inner diameter (mm)	Stopcock position(mm)
10-3903-55	5L	RC-20 A	φ 85.0	80
10-3901-55	10L			100
10-3902-55	20L			150

※Sales unit is 1 piece.

Features General-purpose cock bottle Water sampling bottle ideal for experiments

Specifications

- Material: Body/high density polyethylene (HDPE), Cap/Polypropylene (PP), Cock/Polypropylene (PP)
- Inner cap: Linear low-density polyethylene (LLDPE)

With cock with automatic stopper function
Bottle with Easy Cock

Body HDPE Cap PP, HDPE Inner cap LLDPE Cock PP Operating temperature range 0℃~70℃




Product Number	Model No.	Cock	Mouth inner diameter (mm)	Scale (ml)
10-3301-55	Narrow Mouth 5L with EC	EC-20A	φ 33.5	500
10-3302-55	Narrow Mouth 10L with EC			
10-3303-55	Narrow Mouth 20L with EC			
10-3304-55	Narrow Mouth 30L with EC			
10-3305-55	Narrow Mouth 50L with EC			
10-3401-55	Wide Mouth 5L with EC	EC-20A	φ 85.0	—
10-3402-55	Wide Mouth 10L with EC			
10-3403-55	Wide Mouth 20L with EC			
10-3404-55	Wide Mouth 30L with EC			
10-3405-55	Wide Mouth 50L with EC			
10-5001-55	Conformal type 10L with EC	EC-20A	φ 42.5	—
10-5002-55	Conformal type 20L with EC			
10-5003-55	Flat Square type 5L with EC			
10-5004-55	Flat Square type 10L with EC			
10-5005-55	Flat Square type 20L with EC			
10-5006-55	Flat Square type with wide mouth 10L with EC	EC-20A	φ 95.5	1000
10-5007-55	Flat Square type with wide mouth 20L with EC			
10-5101-55	Flat Square type (2 ports) 5L with EC			
10-5102-55	Flat Square type (2 ports) 10L with EC			
10-5103-55	Flat Square type (2 ports) 20L with EC			

※Sales unit is 1 piece. ※Please refer pages 17 to 19, 23, 24 for container sizes.

Features One-touch cock bottle

Specifications

- Material: Body/high density polyethylene (HDPE), Cap/polypropylene (PP), high density polyethylene (HDPE)
- Inner plug: Linear low-density polyethylene (LLDPE), cock (PP)

Suitable as a storage tank.
Taper Jar (Round/Square), Taper Tank

Product Number	Model No.	Capacity	Caster
4-4021-01	Taper Jar Round 10L	10L	Equipped
4-4021-02	Taper Jar Round 20L	20L	
4-5644-01	Taper jar square type 10L	10L	
4-5644-02	Taper jar square type 20L	20L	
4-4021-03	Taper tank 50L	50L	Not equipped
70-8622-55	Taper tank 50L	50L	Equipped
4-4021-04	Taper tank 100L screw cap	100L	Not equipped
70-8632-55	Taper tank 100L open type		Equipped
70-8633-55	Taper tank 100L screw cap		
70-8634-55	Taper tank 100L open type		

※Sales unit is 1 piece.

Features No liquid remains due to the slanted bottom structure Comes with a handle for convenient carrying (square type only)

Taper Jar (Round)/Taper Tank Specifications

- Material: Body, Bottom/High density polyethylene (HDPE) Cap PP, Cock/Polypropylene (PP) Vinyl Chloride Resin (PVC) (only 100L)
- Operating temperature range: 0 to 70℃
- With standard cock (RC-20A blue)
- No scale

Taper Jar (Square) Specifications

- Material: Body/Cap/Cock/Polypropylene (PP)
- Operating temperature range: 0 to 121℃
- Autoclavable
- With heat-resistant cock (RC-20A green)
- 10L with a scale every 1L, 20L every 2L

Easy-to-use cock
LeverCock/Easycock

Product Number	Model No.	Material (gasket)
4-5020-01	For RC-20A blue round type	NBR
4-4021-01-01	For RC-20A green square type	Silicon
65-9171-58	RC-20A water-chemical resistant	Byton
65-9171-59	RC-20A pink	EPDM
65-9171-60	EC-20A	NBR Silicon

※Sales unit is 1 piece.



Features

- The flow rate of the lever cock can be adjusted by rotating the lever.
- Easy cock opens and closes with one touch. (Silicone gasket is used inside)
- Tip outer diameter: RC: φ19, EC: φ15

Specifications

- Lever cock: Material (polypropylene)
- Easy type cock: Material (polypropylene)
- EPDM can be used with alcohol

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot

||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||

Suitable for liquid transportation. Union Container

Body LDPE + Nylon
Cap HDPE
Inner cap LDPE
Operating temperature range 0℃~70℃



Union Container (Clean type)				
Product Number	Item name	Specifications	Capacity	Quantity
2-3409-01	Clean type 5A	Single-Layer	5L	100
2-3409-02	Clean type 10A	Single-Layer	10L	
2-3409-21	Clean type 18A	Single-Layer	18L	50
2-3409-03	Clean type 20A	Single-Layer	20L	
2-3409-23	Clean type α5P	Multi-Layer	5L	100
2-3409-24	Clean type α10P	Multi-Layer	10L	
2-3409-25	Clean type α18P	Multi-Layer	18L	50
2-3409-26	Clean type α20P	Multi-Layer	20L	

Features

- Excellent chemical resistance, pinhole resistance, and drop strength.
- Excellent heat resistance, suitable for various foods.
- Leak test (liquid leakage test) is carried out for all items.
- Multilayers have excellent gas barrier properties.

Case sales

Union Container Clean Exterior Case

Product Number	Item name	Quantity
2-3409-04	Clean type 5L Case	10
2-3409-05	Clean type 10L Case	
2-3409-22	Clean type 18L Case	
2-3409-06	Clean type 20L Case	

Union Container Square

Product Number	Item name	Specifications	Capacity	Quantity
4-2729-01	Square α5N	PE/Nylon	5L	100
4-2729-02	Square α10N	PE/Nylon	10L	
4-2729-03	Square α18N	PE/Nylon	18L	50
4-2729-04	Square α20N	PE/Nylon	20L	
4-2729-05	Square α5B	High barrier	5L	100
4-2729-06	Square α10B	High barrier	10L	
4-2729-07	Square α18B	High barrier	18L	50
4-2729-08	Square α20B	High barrier	20L	

Features

- Use the seal on the top for carrying.
- Like clean, there is almost no residual liquid.
- Space saving (when not in use) and reduction of displacement (volume and weight).
- Printing on film (containers) and use of color film are also possible.

Case sales

Union Container Square Exterior Case

Product Number	Item name	Quantity
4-2729-11	Square 5L Case	10
4-2729-12	Square 10L Case	
4-2729-13	Square 18L Case	
4-2729-14	Square 20L Case	

Accessories for Square box



Product Number	Item name	Quantity
2-3409-11	Cock φ9	50
2-3409-12	Screw nozzle	
2-3409-13	One-touch nozzle	
2-3409-14	General cap	
2-3409-15	Gas release cap (black)	

※Sales unit is 1 piece

Wide mouth type ideal for powders and pastes.

Ointment Container NK Type

Inner cap LDPE
Packing
Body HDPE
Cap PP
Operating temperature range 0℃~70℃



Product Number	Model No.	Quantity (piece/case)
10-6901-55	NK-30	1000
10-6902-55	NK-50	300
10-6906-55	NK-300	200
10-6907-55	NK-500	100
10-6911-55	NK-800	
10-6908-55	NK-1000	50

※Sales unit is 1 piece.

Size Table

Model No.	Outer dimension (mm)			(Unit: mm)
	A	B	C	
NK-30	φ 28.0	φ 38.5	40.0	
NK-50	φ 36.0	φ 48.0	58.0	
NK-300	φ 56.5	φ 70.0	103.5	
NK-500	φ 72.5	φ 89.5	118.0	
NK-800		φ 96.5	160.5	
NK-1000		φ 96.5	174.5	

※Dimensions have tolerances.

Specifications

- Material: Body/high density polyethylene (HDPE), Cap/Polypropylene (PP), Gasket (PE) Inner Cap/Linear polyethylene (LLDPE)
- Operating temperature range: 0 to 70℃
- Cap: NK-30/50/with inner plug, NK-300/500/800/1000/with gasket
- No scale

Case sales

Features

- Cylindrical shape for easy loading of powders and viscous samples.

Wide mouth cylindrical shape for easy confirmation of contents. PP Clear Jar

Body Cap PP
Inner cap LDPE
Operating temperature range 0℃~70℃



Product Number	Model No.	Quantity (piece/case)
17-0102-55	CJ-120	200
17-0103-55	CJ-250	120
17-0104-55	CJ-400	100
17-0105-55	CJ-600	80
17-0106-55	CJ-1000	50

※Dimensions have tolerances.

※Sales unit is 1 piece.

Size Table

Model No.	Outer dimension (mm)				(Unit: mm)
	A	B	C	D	
CJ-120	φ 56.5	φ 65.7	φ 57.0	72	
CJ-250	φ 66.0	φ 75.4	φ 65.5	92	
CJ-400	φ 88.2	φ 99.2	φ 85.0	93	
CJ-600			φ 88.0	123	
CJ-1000			φ 85.0	210	

※Dimensions have tolerances.

A=Mouth inner diameter
B=Cap outer diameter
C=Bottom diameter
D=Height with lid

Features

- The inside of the mouth has a flat structure, easy to put in highly viscous samples.

※When you close the inner cap, please remove the air inside.

Specifications

- Material: Body and cap/polypropylene (PP) Inner Cap/Linear polyethylene (LLDPE)
- Operating temperature range: 0 to 70℃
- No scale

Case sales

Individual item sales mark
The items are sold in units of 1 piece.

Pack sales mark
The items are sold in units of packs.

Small box sales mark
The items are sold in units of small boxes.

Case sales mark
The items are sold in case units.

Sample
Sample items are available.

No return mark
Due to the nature of the product, this product cannot be returned.

Packing
Packing specifications are in place.

No inner cap
No inner cap: This specification eliminates the need to attach an inner cap.

PP
Material mark
Material of each product is shown.

Autoclavable
Autoclave mark
This product is autoclavable.

Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot



TPX® Techno Bottle

Body TPX Cap PP Autoclavable 0 to 121°C



	Product Number	Capacity	Approximate scale (mL)	Quantity (pcs/case)
Narrow mouth	4-5634-11	100mL	10	50
	4-5634-12	250mL	50	40
	4-5634-13	500mL	20	20
	4-5634-14	1L	100	10
Wide mouth	4-5635-11	100mL	—	50
	4-5635-12	250mL	—	40
	4-5635-13	500mL	—	20
	4-5635-14	1L	—	10

※Loosen the lid when autoclaving.
※Sales unit is 1 piece. (Sterilized type is 1 case)

Features

■ Operating temperature range: 20 to 121°C (Autoclavable)

Specifications


■ Material: Body/Methylpentene resin (TPX®)
Cap/Polypropylene (PP), Gasket/Silicone
■ Operating temperature range: 20 to 121°C
■ Sterilized by EOG (ethylene oxide gas sterilization)
■ Autoclavable

Case sales

Size Table

Capacity	Outer dimension (mm)			
	A	B	C	D
Narrow mouth	100mL	φ 21.8	φ 48.0	96.0
	250mL	φ 21.8	φ 62.0	126.0
	500mL	φ 32.8	φ 75.5	161.5
	1L	φ 32.8	φ 95.0	196.5
Wide mouth	100mL	φ 33.0	φ 52.0	85.5
	250mL	φ 33.0	φ 62.0	125.5
	500mL	φ 42.3	φ 75.0	160.0
	1L	φ 42.5	φ 95.0	194.0

※Dimensions have tolerances.

A=Mouth inner diameter
B=Body diameter
C=Height without lid
D=Height with lid

PC Techno Bottle

Body PC Cap PP Autoclavable 0 to 121°C



	Product Number	Capacity	Approximate scale (mL)	Quantity (pcs/case)
Narrow mouth	10-0711-55	100mL	10	50
	10-0712-55	250mL	50	40
	10-0713-55	500mL	20	20
	10-0714-55	1L	100	10
Wide mouth	10-0811-55	100mL	—	50
	10-0812-55	250mL	—	40
	10-0813-55	500mL	—	20
	10-0814-55	1L	—	10

※Sales unit is 1 piece. (Sterilized type is 1 case)

Features

■ Operating temperature range: 0 to 121°C (Autoclavable)

Specifications


■ Material: Body/Polycarbonate (PC)
Cap/Polypropylene (PP), Gasket/Silicone
■ Operating temperature range: 0 to 121°C
■ Sterilized by EOG (ethylene oxide gas sterilization)
■ Autoclavable

Case sales

Size Table

Capacity	Outer dimension (mm)			
	A	B	C	D
Narrow mouth	100mL	φ 22.0	φ 48.5	97.0
	250mL	φ 22.0	φ 62.5	127.0
	500mL	φ 33.0	φ 76.0	163.5
	1L	φ 33.0	φ 96.0	198.5
Wide mouth	100mL	φ 33.4	φ 52.3	86.5
	250mL	φ 33.4	φ 62.5	126.5
	500mL	φ 44.3	φ 76.0	161.5
	1L	φ 44.3	φ 96.0	196.0

※Dimensions have tolerances.

A=Mouth inner diameter
B=Body diameter
C=Height without lid
D=Height with lid

Large Polycarbonate Bottle

No inner cap Body PC Cap PP Autoclavable 0 to 121°C




Size Table

Product Number	Capacity	Weight (g)
4-5632-01	10L	800
4-5632-02	20L	1300
4-5632-03	30L	1800

※Sales unit is 1 case.

Capacity	Outer dimension (mm)			
	A	B	C	D
10L	φ 95	φ 240	334	342
20L	φ 95	φ 300	398	406
30L	φ 95	φ 340	446	454

※Dimensions have tolerances.

A=Mouth inner diameter
B=Body diameter
C=Height without lid
D=Height with lid

Features

■ Excellent impact resistance, hard to break even if dropped when full of water
■ The wide mouth makes cleaning and loading and unloading of contents easy.
■ Due to the low permeability of carbon dioxide gas and oxygen gas, it is possible to store a large volume of medium (vaccines).
■ It is suitable for food storage and transportation of fry and eggs related to marine products.

Specifications

■ Material: Body/Polycarbonate (PC)
Cap/Polypropylene (PP)
Gasket/Silicone
■ Operating temperature range: 0 to 121°C
■ Autoclavable
■ No scale

Small box sales No return

Custom ORDER

Custom Production

We give shape to the wishes of our users.



Rather than the ready-made products, we manufacture original products as per requests.

We roll out to the world the special specifications of users such as shape, coloring, specifications, and help improve the level of our products.

Please feel free to contact us.

Contact us

Sales department
TEL 06-4801-7727You can also contact us through our website.
<https://www.nikko-hansen.com>

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker
PE hand beakerBeaker (TPX/PP
no handle)Beaker (TPX/PP
with handle)Measuring cup
(PC/PP)Beaker
(Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum
pot

Straight shape with stability

Multi Bottle Straight (MBS Series)

Body
HDPEOperating temperature
0℃~70℃

Product Number	Model No.	Filling Capacity	Quantity (piece/case)
1054-13	MBS-300	318mL	264
1054-14	MBS-500	536mL	160

※Sales unit is 1 piece.

※The above products are bottles only.

Size Table

Model No.	Outer dimension (mm)			Unit:(mm)
	A	B	C	
MBS-300	φ 17.5	φ55.0	167.0	
MBS-500		φ70.0	178.0	

※Dimensions have tolerances.

A=Mouth inner diameter B=Body diameter C=Bottle height

Features

- Can be used for various purposes by changing the cap.
- Decorations such as coloring, printing, shrink wrapping, etc. are available.

Specifications

- Body/High-density polyethylene (HDPE)
- No scale

Case sales

Wide variety of decorations and accessories

Multi Bottle Round (MBM Series)/Square (MBK Series)

Body
HDPEOperating temperature
0℃~70℃

Round type (MBM series)

Product Number	Model No.	Filling Capacity	Quantity (piece/case)
10-5400-01	MBM-20	26mL	1,500
10-5401-01	MBM-60	70mL	700
10-5402-01	MBM-80	85mL	650
10-5403-01	MBM-100	110mL	500
10-5404-01	MBM-130	140mL	400
10-5405-01	MBM-180	188mL	320
10-5406-01	MBM-200	220mL	260
10-5407-01	MBM-250	264mL	220
10-5408-01	MBM-300	305mL	234
10-5409-01	MBM-350	357mL	216
10-5410-01	MBM-400	407mL	172
10-5411-01	MBM-500	506mL	142
10-5412-01	MBM-1000	1033mL	80

※Sales unit is 1 piece.

※The above products are bottles only.

Size Table

Model No.	Outer dimension (mm)			Unit:(mm)
	A	B	C	
MBM-20	φ 17.5	φ 28.5	57.0	
MBM-60		φ 36.0	93.0	
MBM-80		φ 38.0	99.0	
MBM-100		φ 40.0	115.0	
MBM-130		φ 44.0	120.0	
MBM-180		φ 48.0	131.5	
MBM-200		φ 50.0	139.5	
MBM-250		φ 52.0	156.0	
MBM-300		φ 55.0	159.0	
MBM-350		φ 58.0	169.0	
MBM-400		φ 60.0	176.5	
MBM-500		φ 65.5	185.0	
MBM-1000		φ 84.5	220.0	

※Dimensions have tolerances.

A=Mouth inner diameter C=Bottle height
B=Body diameter

Common Features

- A wide variety of container sizes are available for use in various applications.
- Decorations such as coloring, printing, shrink wrapping, etc. are available.
- Material: Body/High-density polyethylene (HDPE)

Case sales

Round type (MBM series)



Square type (MBK series)



Square type (MBK series)

Product Number	Model No.	Filling Capacity	Quantity (piece/case)
14-2201-01	MBK-60	63mL	700
14-2202-01	MBK-100	104mL	500
14-2203-01	MBK-200	205mL	260
14-2204-01	MBK-300	308mL	234
14-2205-01	MBK-500	529mL	142

※Sales unit is 1 piece.

※The above products are bottles only.

Size Table

Model No.	Outer dimension (mm)			Unit:(mm)
	A	B	C	
MBK-60	φ 17.5	φ30.0	94.0	
MBK-100		φ34.0	118.0	
MBK-200		φ43.0	140.0	
MBK-300		φ48.0	168.0	
MBK-500		φ57.0	184.0	

※Dimensions have tolerances.

A=Mouth inner diameter C=Bottle height
B=Body diameter

Wide Variation for Various Applications

CAPS & DISPENSERS

Individual item delivery



P-27 Hinge Cap



PR-27 Hinge Cap



PMT-27 Hinge Cap



P-27 W Hinge φ45



P-27 W Hinge φ38



P-27 Flat cap



PR-27 Flat Cap



P-27 W Cap



Trigger T-305-10-2



P-27 Nozzle Cap



P-27 Nozzle Cap



P-27 Pointy Cap with String



AN-18 Hole Cap



J Type Inner Cap



KFS Spray



Mark VI Spray



Trigger Z-305-101



Z-500-C001 Pump




Z-500-C014 Pump



SD-200PT Pump



SD-200 Pump

Please inquire about
accessories other
than those listed here.

※Coloring is also available. Please inquire.

Product Number	Item name	Quantity
1056-01	P-27 Hinge Cap	2,000
1056-02	PR-27 Hinge Cap	3,000
1056-03	PMT-27 Hinge Cap	2,000
1056-04	P-27W Hinge φ45	700
1056-05	P-27W Hinge φ38	1,000
1056-06	P-27 Flat Cap	3,000
1056-07	PR-27 Flat Cap	3,000
1056-08	P-27W Cap	2,000
1056-09	P-27 Nozzle Cap	2,500
1056-10	P-27 Nozzle Cap	8,000
1056-11	P-27 Pointy Cap with String	2,500

Product Number	Item name	Quantity
1056-12	AN-18 Hole Cap	10,000
1056-13	J Type Inner Cap	10,000
1056-15	Mark VI Spray ※	
1056-16	Trigger Z-305-101	400
1056-17	Trigger T-305-10-2	200
1056-18	Z-500-C001 Pump	500
1056-19	Z-500-C014 Pump ※	
1056-20	SD-200PT Pump ※	
1056-21	SD-200 Pump ※	
1056-28	KFS Spray	1,000

※Marked items will be arranged upon receipt of order. (Please contact us for quantity.)

Individual item
sales mark
The items are sold in
units of 1 piece.

Pack sales

Pack sales mark
The items are sold in
units of packs.

Small box sales

Small box sales mark
The items are sold in
units of small boxes.

Case sales

Case sales mark
The items are sold in
case units.

Sample

Sample mark
Sample items are
available.

No return

No return mark
Due to the nature of the
product, this product
cannot be returned.

Packing

Packing mark
Packing specifications
are in place.

No inner cap

No inner cap mark
No inner cap. This specification
eliminates the need to attach
an inner cap.

PP

Material mark
Material of each product is shown.

Autoclave

Autoclave mark
This product is autoclavable.

Operating temperature range

Operating temperature range mark
Indicates the operating temperature range of
each product.

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot


Easy to hold, stable spray bottle
Trigger BottleBody
HDPEOperating temperature range
0℃ ~ 70℃

MTB



MTA

Size Table

Model No.	Outer dimension (mm)			(Unit: mm)
	A	B	C	
MTA-300	φ 20.2	φ 74.0	150.0	
MTA-500		φ 84.0	171.5	
MTB-300	φ 20.2	φ 55.0	167.0	
MTB-500		φ 70.0	178.0	

※Dimensions have tolerances.

Features

- Easy to spray due to the shape that fits comfortably in the hand.
- Decorations such as coloring and shrink-film processing are available.
- Accessories can be selected from the following options.

Case sales

Sample

Sales unit is 1 piece

NEW Sold as a set! (bottle and trigger)

Product Number	Model No.	Height with trigger
13-0003-12	MTA-300TS	192.0
13-0005-12	MTA-500TS	215.0
65-9171-61	MTB-300TS	210.0
65-9171-62	MTB-500TS	221.0

● Trigger is T-95 (white/white)



Trigger accessories (for the same quantity of main unit)

Product Number	Item name	Quantity in a carton (piece/case)
1601-62	T-95 trigger spray mist (white/white)	450
1601-63	T-95 trigger spray mist (skeleton)	450
1601-64	T-95 Trigger spray mist (black skeleton)	450
1601-31	T-650-1 Trigger spray mist (white)	200
1601-41	TS800-2 Trigger spray mist (skeleton)	500
1601-71	TS01 Refill Cap (white)	3,000

※Other triggers are also available. Please inquire.



PFA Bottle



Specifications

- Teflon super PFA bottle
- For storage of high-purity reagent or ultrapure water.
- For long-term storage owing to little secular change.

PFA Bottle (Narrow Mouth)

Product Number	Capacity	Mouth inner diameter x cap outer diameter x body diameter x total height (mm)
4-5342-01	100mL	φ13.95×φ30×φ46.3×96.5
4-5342-02	250mL	φ14×φ30×φ59.7×133
4-5342-03	500mL	φ22.4×φ40×φ77×158
4-5342-04	1L	φ21.35×φ40×φ93.4×204

PFA Bottle (Wide Mouth)

Product Number	Capacity	Mouth inner diameter x cap outer diameter x body diameter x total height (mm)
4-5342-09	50mL	φ27×φ40×φ46.3×70.5
4-5342-05	100mL	φ28×φ40×φ46.2×97
4-5342-06	250mL	φ35.1×φ50×φ59.8×135.5
4-5342-07	500mL	φ44.15×φ60×φ77.5×158
4-5342-08	1L	φ43.8×φ60×φ94×203

Features

- Both the body and cap are made of high-purity Teflon with less ion elution than before, making them suitable for storing and storing high-purity chemicals and highly corrosive chemicals.
- Surface smoothness is high, allowing less penetration and absorption of chemicals and less gas permeation.
- Excellent transparency and heat resistance (Max 210°C). It comes with a scale.



PFA Bottle (With Inside Plug)



Features

- It has an inner stopper.
- It has excellent corrosion resistance and is translucent, so you can check the chemical solution inside and the sample.
- There is little change over time.

PFA Bottle (Narrow Mouth)

Product Number	Capacity	Body Diameter x Total Height (mm)
1-2305-01	50mL	φ49 x 72
1-2305-02	100mL	φ48 x 102
1-2305-03	250mL	φ61 x 134
1-2305-04	500mL	φ73 x 171
1-2305-05	1L	φ92 x 203

PFA Bottle (Wide Mouth)

Product Number	Capacity	Body Diameter x Total Height (mm)
1-2306-02	100mL	φ49 x 106
1-2306-03	250mL	φ61 x 138
1-2306-04	500mL	φ73 x 180
1-2306-05	1L	φ93 x 212

Specifications

- Material: Body, Cap/PFA (fluorine resin), Inside plug/PTFE (fluorine resin)

Individual item sales mark
The items are sold in units of 1 piece.Pack sales mark
The items are sold in units of packs.Small box sales mark
The items are sold in units of small boxes.Case sales mark
The items are sold in case units.Sample mark
Sample items are available.No return mark
Due to the nature of the product, this product cannot be returned.Packing mark
Packing specifications are in place.No inner cap
No inner cap. This specification eliminates the need to attach an inner cap.PP
Material mark
Material of each product is shown.Autoclavable
Autoclave mark
This product is autoclavable.Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker
PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot



PP Bottle



Features


- ❖ No packing (no inner plug), but does not drain.
- ❖ This saves you time and labor by eliminating the tedious process of removing the inner plug.
- ❖ Autoclave (steam sterilization) is possible.
 - * The liquid may penetrate through the mouth, so please check beforehand.

Specifications

- ❖ Material: Body, Lid/PP (polypropylene)
- ❖ Water leakage test passed
- ❖ Allowable temperature limit: 130°C
- ❖ With scale
- ❖ Steam sterilization temperature: 121°C

Mouth Size Table

Capacity	Dimensions (narrow mouth: mm/ wide mouth: mm)					
	A	B	C	D	E	F
50mL	76/77	16/20	56/55	40/40	11/25	26/40
100mL	100/98	20/20	76/76	47/47	16/25	33/40
250mL	133/130	20/22	109/106	62/62	16/32	33/50
500mL	167/162	22/22	141/138	76/76	20/42	40/61
1L	203/198	22/22	177/174	95/92	20/48	40/67
2L	244/243	22/30	218/210	120/120	42/65	61/91



PP Bottle (Narrow Mouth)

Product Number	Capacity	Quantity (piece/case)
5-001-51	50mL	100
5-001-52	100mL	100
5-001-53	250mL	100
5-001-54	500mL	50
5-001-55	1L	20
5-001-56	2L	20

PP Bottle (Wide Mouth)

Product Number	Capacity	Quantity (piece/case)
5-002-51	50mL	100
5-002-52	100mL	100
5-002-53	250mL	100
5-002-54	500mL	50
5-002-55	1L	20
5-002-56	2L	20



Disposable Cup (Vacuum Type & Blow Molding)



Disposable Cup (Vacuum Type)

Product Number	Capacity	Approximate scale (mL)	Quantity (piece/case)
5-077-11	100mL	10	1000
5-077-12	150mL	10	1000
5-077-13	200mL	20	1000
5-077-14	300mL	25	500
5-077-15	500mL	50	250
5-077-16	1L	100	100
5-077-17	2L	100	100

Features

- ❖ Since it is a vacuum molded product, it is flat without uneven bottom.
- ❖ Can be stacked and does not take up storage space.
- ❖ Vacuum type
- ❖ Material: PP (polypropylene, translucence)

Specifications



Disposable Cup (Blow Molding)

Product Number	Capacity	Approximate scale (mL)	Quantity (piece/case)
1-4659-11	100mL	10	1000
1-4659-12	150mL	10	1000
1-4659-13	200mL	50	1000
1-4659-14	300mL	50	500
1-4659-15	500mL	100	250
1-4659-16	1L	100	100
1-4659-17	2L	500	100

Features

- ❖ It can be stacked and does not take up storage space.
- ❖ Specifications
- ❖ Blow molding
- ❖ Material: PP (polypropylene)

Reference Materials

Standard Caps



Image No.	Item name	Dimensions(mm) diameter×height	Material	Suitable containers
1	SS-1	φ 24.0 × 13.0	PP	Standard bottle narrow mouth 20·30·50mL
2	SS-3	φ 31.0 × 19.0		Standard bottle narrow mouth 100·250·300mL
3	SS-4	φ 43.0 × 30.0		Standard bottle narrow mouth 500mL·1L
4	SS-5	φ 65.0 × 45.0		Standard bottle narrow mouth 2·3·5·10·20·30L
5	SR-1	φ 30.0 × 14.0		Standard bottle wide mouth 20·30mL·Flat square 1L
6	SR-2	φ 39.0 × 13.0		Standard bottle wide mouth 50mL
7	SR-A	φ 44.0 × 16.0		Standard bottle wide mouth 100mL·Ointment 50mL
8	SR-3	φ 48.0 × 19.0		Standard bottle wide mouth 250·300mL Flat square 1 mouth 2·3·4·5·10L
9	SR-4	φ 62.0 × 23.0		Standard bottle wide mouth 500mL·1L
10	SR-5	φ110.0 × 31.0		Standard bottle wide mouth 2·3·5·10L
11	SR-6	φ126.0 × 48.0		Standard bottle narrow mouth 50L
12	SR-7	φ214.0 × 35.0		Standard bottle wide mouth 50L
13	BC-1	φ 72.0 × 22.0		Flat square 20L Square 20L
14	PC-10	φ131.0 × 41.5	PP	PC large jars 10·20·30L Taper jars 10·20L Taper tanks 50L
15	TP-200	φ302.0 × 87.5	PE	Taper Tank 100L
16	CJC-1	φ 65.7 × 14.0	PP	Clear Jar 120mL
17	CJC-2	φ 75.4 × 14.0		Clear Jar 250mL
18	CJC-3	φ 99.2 × 16.0		Clear Jar 400·600mL·1L

Image No.	Item name	Dimensions(mm) diameter×height	Material	Suitable containers
19	NK-70	φ 70.2 × 19.5	PP	Ointment 300mL
20	NK-90	φ 89.4 × 22.4		Ointment 500·800mL·1L
21	JT-1	φ 23.3 × 14.7		PETJST 10·15·20mL
22	JT-3	φ 29.0 × 14.5		PETJST 30·50mL
23	JT-7	φ 38.2 × 14.6		PETJST 60·100mL
24	JV-1	φ 23.9 × 10.2		Glass JSV9·10·13·5·20mL
25	JV-3	φ 30.0 × 12.3		Glass JSV30·50mL
26	JV-7	φ 38.0 × 13.4		Glass JSV40·60·110mL
27	JPC-3	φ 46.0 × 21.5		JP bottle 100·250mL
28	JPC-4	φ 61.0 × 22.0		JP bottle 500mL·1L
29	JPC-6	φ110.3 × 31.0		JP bottle 2L
30	TE-3	φ 46.4 × 25.0		TEA100·250·500mL·1L
31	IMC-1	φ 24.0 × 14.0		J bottle narrow mouth 50mL
32	IMC-2	φ 36.0 × 21.0		J bottle narrow mouth 100·200·250·300mL Wide mouth 50mL Flat square 500mL Techno narrow mouth 100·250mL
33	IMC-3	φ 46.0 × 22.0		J bottle narrow mouth 500mL·1L Wide mouth 100·200·250·300mL Techno wide mouth 100·250mL Narrow mouth 500mL·1L
34	IMC-4	φ 61.0 × 22.0		J bottle narrow mouth 2L Wide mouth 500mL·1L Techno wide mouth 500mL·1L
35	IMC-6	φ110.0 × 31.0		J bottle wide mouth 2L

● The above are for reference only; caps and stoppers are not sold separately. ● Please allow for dimensional tolerances in the dimensional values (mm).

Standard Inner Cap




Image No.	Item name	Dimensions(mm) Mouth diameter × brim outer diameter × height	Material	Suitable containers
1	SSP-1	φ12.0 × φ15.0 × 8.5	PE	Standard bottle narrow mouth 20·30·50mL
2	SSP-3	φ17.0 × φ22.5 × 8.0		Standard bottle narrow mouth 100·250·300mL
3	SSP-4	φ23.5 × φ31.0 × 9.0		Standard bottle narrow mouth 500mL·1L
4	SSP-5	φ35.5 × φ49.5 × 18.5		Standard bottle narrow mouth 2·3·5·10·20·30L
5	SRP-1	φ21.5 × φ23.5 × 8.5		Standard bottle wide mouth 20·30mL·Flat square 1 mouth 1L
6	SRP-2	φ28.0 × φ31.5 × 8.0		Standard bottle wide mouth 50mL
7	SRP-A	φ36.0 × φ38.0 × 9.0		Standard bottle wide mouth 100mL·Ointment 50mL
8	SRP-3	φ29.5 × φ38.0 × 10.0		Standard bottle wide mouth 250·300mL
9	SRP-4	φ42.5 × φ50.5 × 10.0		Standard bottle wide mouth 500mL·1L

Image No.	Item name	Dimensions(mm) Mouth diameter × brim outer diameter × height	Material	Suitable containers
10	SRP-5	φ 85.5 × φ 93.0 × 15.5	PE	Standard bottle wide mouth 2·3·5·10L
11	SRP-6	φ 99.0 × φ108.0 × 18.5		Standard bottle narrow mouth 50L Standard bottle wide mouth 20·30L
12	SRP-7	φ183.0 × φ198.0 × 14.5		Standard bottle wide mouth 50L
13	D-3	φ 30.0 × φ 37.0 × 7.0		Flat square 1 mouth 2·3·4·5·10L
14	BCP-1	φ 52.5 × φ 60.0 × 11.5		Square 20L Flat square 1 mouth 20L
15	CJP-1	φ 56.8 × φ 58.4 × 7.2		Clear jar 120mL
16	CJP-2	φ 66.5 × φ 68.0 × 7.6		Clear jar 250mL
17	CJP-3	φ 88.5 × φ 91.0 × 10.5		Clear jar 400·600mL·1L

● The above are for reference only; caps and stoppers are not sold separately.
● Please allow for dimensional tolerances in the dimensional values (mm).
※1 The shape of BCP-1 has a handle similar to that of SRP-5.

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker
PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot

||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||
||



Disposable beakers with molded scale suitable for testing and mixing of various samples.

PP Disposable Beaker

PP 0℃~100℃



Features

- When filled with solution, the beaker becomes transparent and can be checked with the naked eye.
- Since the bottom is completely flat, stirring with a magnetic stirrer is possible.

Specifications

- Material: Polypropylene (PP)
- Operating temperature range: 0 to 100℃
- Molding method: 20mL・50mL・150mL・2L/Extrusion blow molding, Others /Vacuum molding




Product Number	Capacity	Approximate scale (mL)	Quantity (piece/case)
NEW 30-1409-55	20mL	10	2000
30-1408-55	50mL		
30-1407-55	100mL		
30-1406-55	150mL	25	1000
30-1405-55	200mL	20	
30-1404-55	300mL	50	
30-1403-55	500mL	100	250
30-1402-55	1L		150
30-1401-55	2L		60

※Sales unit is 1 piece.

Size Table

Capacity	Outer dimension (mm)			
	A	B	C	D
20mL	φ 28.8	φ 24.1	54.0	
50mL	φ 43.5	φ 32.5	70.0	
100mL	φ 58.5	φ 42.5	77.5	
150mL	φ 66.0	φ 52.5	75.0	
200mL	φ 82.0	φ 59.5	82.0	
300mL	φ 90.0	φ 68.5	96.0	
500mL	φ 102.5	φ 79.5	124.0	
1L	φ 123.5	φ 100.0	148.5	
2L	φ 141.5	φ 124.0	172.5	

※Dimensions have tolerances.



A=Top outer diameter
B=Bottom outer diameter
D=Overall height



PE products can be used for various applications.

PE beaker with handle

HDPE -40℃~80℃



Features

- Robust type that can be used for a wide range of applications from research and experiments to general industrial use.
- The handle and container are integrally molded to prevent detachment. (Welded only for 10L)
- The easy-to-grip, well-balanced handle allows for easy tilt operation during extraction.
- The 10L type has two handles.
- The stable bottom allows for stirring with a magnetic stirrer.



Product Number	Capacity	Approximate scale (mL)
1-4626-13	300mL	25
1-4626-14	500mL	50
1-4626-15	1L	
1-4626-16	2L	
1-4626-17	3L	100
1-4626-18	5L	
1-4626-19	10L	500

※Sales unit is 1 piece.


Size Table

Capacity	Outer dimension (mm)			
	A	B	C	D
300mL	98.5	φ 91.0	φ 76.5	94.5
500mL	114.5	φ 104.0	φ 89.5	116.5
1L	148.0	φ 131.0	φ 109.0	151.0
2L	184.0	φ 163.0	φ 134.0	190.0
3L	206.0	φ 179.0	φ 147.0	220.0
5L	230.0	φ 204.0	φ 166.0	258.0
10L	325.0	φ 300.0	φ 230.0	266.0

※Dimensions have tolerances.

Specifications

- Material: High-density polyethylene (HDPE)
- Operating temperature range: -40 to 80℃



A=Top outer diameter
B=Upper body diameter
C=Bottom body diameter
D=Overall height



The glass-like transparency and raised molded scale facilitate weighing.

TPX® Beaker

TPX® Autoclavable 20℃~150℃



Features

- The stable bottom allows for stirring with a magnetic stirrer.
- Heat resistant up to 170℃. Can be autoclaved and sterilized.
- ※However, product shrinkage may occur depending on the heating temperature.

Specifications

- Material: Methylbenzene resin (TPX®)
- Operating temperature range: 20 to 150℃
- Autoclavable




Product Number	Capacity	Approximate scale (mL)
1-6165-11	50mL	10
1-6165-12	100mL	
1-6165-13	200mL	
1-6165-14	300mL	25
1-6165-15	500mL	50
1-6165-16	1L	

※Sales unit is 1 piece.

Size Table

Capacity	Outer dimension (mm)			
	A	B	C	D
50mL	55.0	φ 51.0	φ 46.0	61.0
100mL	65.0	φ 61.0	φ 55.0	71.0
200mL	79.5	φ 74.0	φ 65.5	90.5
300mL	92.0	φ 86.0	φ 76.5	105.0
500mL	103.5	φ 95.5	φ 88.5	122.0
1L	129.5	φ 120.5	φ 108.0	153.5

※Dimensions have tolerances.



A=Top outer diameter
B=Upper body diameter
C=Bottom body diameter
D=Overall height



Transparent to the touch, allowing the naked eye to see the contents.

PP Beaker

PP Autoclavable 0℃~121℃



Features

- The stable bottom allows for stirring with a magnetic stirrer.
- Excellent chemical resistance and can be widely used for research and experiments.
- The spout is easy to drain and does not drip.
- Can be sterilized by autoclaving.
- ※However, product shrinkage may occur depending on the heating temperature.


Product Number	Capacity	Approximate scale (mL)
35-7309-55	50mL	10
35-7308-55	100mL	
35-7307-55	200mL	20
35-7306-55	300mL	25
35-7305-55	500mL	50
35-7304-55	1L	

※Sales unit is 1 piece.

Size Table

Capacity	Outer dimension (mm)			
	A	B	C	D
50mL	55.0	φ 51.0	φ 46.0	61.0
100mL	65.0	φ 61.0	φ 54.5	71.0
200mL	79.5	φ 74.0	φ 65.0	90.5
300mL	92.5	φ 86.0	φ 76.5	105.0
500mL	104.0	φ 96.0	φ 88.5	122.5
1L	129.0	φ 119.5	φ 107.0	154.0

※Dimensions have tolerances.



A=Top outer diameter
B=Upper body diameter
C=Bottom body diameter
D=Overall height

Specifications

- Material: Polypropylene (PP)
- Operating temperature range: 0 to 121℃
- Autoclavable



Individual item sales mark
The items are sold in units of 1 piece.



Pack sales mark
The items are sold in units of packs.



Small box sales mark
The items are sold in units of small boxes.



Case sales mark
The items are sold in case units.



Sample mark
Sample items are available.



No return mark
Due to the nature of the product, this product cannot be returned.



Packing mark
Packing specifications are in place.



No inner cap mark
No inner cap. This specification eliminates the need to attach an inner cap.



Material mark
Material of each product is shown.



Autoclave mark
This product is autoclavable.



Operating temperature range mark
Indicates the operating temperature range of each product.

▶▶ Mention the **code** and **product name** when placing an order. ▶▶ Custom-made products are also available upon request. Please feel free to contact us.

▶▶ Our product drawings can be obtained from our website. <https://www.nikko-hansen.com>

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle
(Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water
sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with
cock

Taper jar/tank

Cock

Square box

Ointment
container

PP clear jar

Techno bottle

Large polycarbonate
bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP
no handle)Beaker (TPX/PP
with handle)Measuring cup
(PC/PP)Beaker
(Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum
pot

The stable bottom allows for stirring with a magnetic stirrer.

TPX® Beaker with Handle

TPX® Autoclavable 20~150℃



Features

- ✦ The glass-like transparency and raised molded scale facilitate weighing.
- ✦ The easy-to-grip, well-balanced handle allows for easy tilt operation during extraction.
- ✦ Heat resistant up to 170℃. Can be autoclaved and sterilized.
※However, product shrinkage may occur depending on the heating temperature.

Product Number	Capacity	Approximate scale (mL)
1-4627-11	100mL	10
1-4627-12	200mL	20
1-4627-13	300mL	25
1-4627-14	500mL	50
1-4627-15	1L	
1-4627-16	2L	100
1-4627-17	3L	
1-4627-18	5L	200

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)				(Unit: mm)
	A	B	C	D	
100mL	65.5	φ 61.0	φ 55.5	70.0	 A=Top outer diameter B=Upper body diameter C=Bottom body diameter D=Overall height
200mL	79.5	φ 74.0	φ 67.0	90.0	
300mL	99.0	φ 91.0	φ 76.5	94.5	
500mL	112.5	φ 104.5	φ 89.0	117.0	
1L	145.5	φ 130.5	φ 108.0	151.0	
2L	181.0	φ 164.0	φ 134.0	190.0	
3L	205.0	φ 180.0	φ 146.0	220.0	
5L	230.0	φ 203.0	φ 165.0	258.5	

※Dimensions have tolerances.

Specifications

- ✦ Material: Methylbenzene resin (TPX®)
- ✦ Operating temperature range: 20 to 150℃
- ✦ Autoclavable

Individual item delivery



Easy-to-use shape with excellent chemical resistance.

PP Beaker with Handle

Body PP Autoclavable 0~121℃



Features

- ✦ Beaker can be used for a wide range of applications.
- ✦ The handle does not come off due to one-piece molding.
- ✦ Excellent chemical resistance.

Product Number	Capacity	Approximate scale (mL)
1-4622-13	300mL	25
1-4622-14	500mL	50
1-4622-15	1L	
1-4622-16	2L	100
1-4622-17	3L	
1-4622-18	5L	200

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)				(Unit: mm)
	A	B	C	D	
300mL	98.5	φ 91	φ 76.5	94.5	 A=Top outer diameter B=Upper body diameter C=Bottom body diameter D=Overall height
500mL	114.5	φ 104	φ 89.5	116.5	
1L	148.0	φ 131	φ 109.0	151.0	
2L	184.0	φ 163	φ 134.0	190.0	
3L	206.0	φ 179	φ 147.0	220.0	
5L	230.0	φ 204	φ 166.0	258.0	

※Dimensions have tolerances.

Specifications

- ✦ Material: Polypropylene (PP)
- ✦ Operating temperature range: 0 to 121℃
- ✦ Autoclavable

Individual item delivery



It is self-extinguishing (extinguishes when fire is kept away) and can be used for a wide range of applications from household to industrial use.

PC Measuring Cup

PC Autoclavable 80~120℃



Features

- ✦ Excellent transparency makes weighing easy.
- ✦ Strong with excellent impact resistance.
- ✦ Can be refrigerated, autoclaved or microwaved.
- ✦ The stable bottom allows for stirring with a magnetic stirrer.

Product Number	Capacity	Approximate scale (mL)
30-0801-00-55	100mL	10
30-0802-00-55	200mL	20
30-0803-00-55	300mL	25
30-0805-00-55	500mL	50
30-0810-00-55	1L	
30-0820-00-55	2L	100

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)				(Unit: mm)
	A	B	C	D	
100mL	66.0	φ 62.0	φ 55.5	71.5	 A=Top outer diameter B=Upper body diameter C=Bottom body diameter D=Overall height
200mL	81.0	φ 75.0	φ 67.5	92.0	
300mL	93.0	φ 87.0	φ 78.0	106.5	
500mL	104.0	φ 96.0	φ 90.0	122.5	
1L	130.0	φ 120.0	φ 110.0	154.5	
2L	161.5	φ 150.0	φ 135.0	203.0	

※Dimensions have tolerances.

Specifications

- ✦ Material: Polycarbonate (PC)
- ✦ Operating temperature range: -100 to 120℃
- ✦ Autoclavable

Individual item delivery



Excellent chemical resistance and can be widely used for research and experiments.

PP Measuring Cup

PP Autoclavable 0~121℃



Features

- ✦ Transparent to the touch, allowing the naked eye to see the contents.
- ✦ The stable bottom allows for stirring with a magnetic stirrer.
- ✦ The spout is easy to drain and does not drip.
- ✦ Can be sterilized by autoclaving.
※However, product shrinkage may occur depending on the heating temperature.

Product Number	Capacity	Approximate scale (mL)
1-4622-11	100mL	10
1-4622-12	200mL	20
30-0704-55	300mL	25
30-0703-55	500mL	50
30-0702-55	1L	
30-0701-55	2L	100
30-0708-55	3L	
30-0707-55	5L	200

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)				(Unit: mm)
	A	B	C	D	
100mL	65.5	φ 61.0	φ 55.0	70.5	 A=Top outer diameter B=Upper body diameter C=Bottom body diameter D=Overall height
200mL	80.5	φ 73.5	φ 66.5	90.0	
300mL	92.0	φ 85.5	φ 77.5	105.0	
500mL	103.0	φ 94.0	φ 88.5	121.0	
1L	129.0	φ 118.5	φ 108.5	152.5	
2L	160.0	φ 148.0	φ 133.0	200.0	
3L	185.0	φ 168.0	φ 154.5	224.5	
5L	215.0	φ 199.0	φ 179.0	271.0	

※Dimensions have tolerances.

Specifications

- ✦ Material: Polypropylene (PP)
- ✦ Operating temperature range: 0 to 121℃
- ✦ Autoclavable

Individual item delivery

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle
(Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water
sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with
cock

Taper jar/tank

Cock

Square box

Ointment
container

PP clear jar

Techno bottle

Large polycarbonate
bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP
no handle)Beaker (TPX/PP
with handle)Measuring cup
(PC/PP)Beaker
(Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum
potIndividual item sales mark
The items are sold in units of 1 piece.Pack sales mark
The items are sold in units of packs.Small box sales mark
The items are sold in units of small boxes.Case sales mark
The items are sold in case units.Sample mark
Sample items are available.No return mark
Due to the nature of the product, this product cannot be returned.Packing mark
Packing specifications are in place.No inner cap mark
No inner cap. This specification eliminates the need to attach an inner cap.PP Material mark
Material of each product is shown.Autoclave mark
This product is autoclavable.Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot



TPX® Conical Beaker

TPX® Autoclavable 20~150℃



Product Number	Capacity	Outer diameter of mouth/ bottom × height (mm)	Approximate scale (mL)
30-2704-55	100mL	48.0/φ60.0×89.5	50
30-2703-55	200mL	61.5/φ72.5×108.5	
30-2702-55	500mL	82.0/φ96.0×145.0	

※Dimensions have tolerances.
※Sales unit is 1 piece.

Features

- Excellent heat resistance and chemical resistance.
- The spout is easy to drain and does not drip.
- Can be sterilized by autoclaving.
- ※However, product shrinkage may occur depending on the heating temperature.

Specifications

- Material: Methyl pentene resin (TPX®)
- Operating temperature range: 20 to 150℃
- Autoclavable

Individual item delivery



TPX® Erlenmeyer Flask

TPX® Autoclavable 20~150℃



Product Number	Capacity	Outer diameter of mouth/ bottom × height (mm)	Approximate scale (mL)
30-3204-55	100mL	φ20.0/φ63.0×103.5	50
30-3203-55	250mL	φ26.0/φ87.0×142.5	
30-3202-55	500mL	φ28.0/φ108.0×170.5	Increments from 200 to 100

※Dimensions have tolerances.
※Sales unit is 1 piece.

Features

- Liquid can be seen with the naked eye due to its transparency.
- Can be sterilized by autoclaving.
- ※However, product shrinkage may occur depending on the heating temperature.

Specifications

- Material: Methyl pentene resin (TPX®)
- Operating temperature range: 20 to 150℃
- Autoclavable

Individual item delivery



TPX® Volumetric Flask

TPX® Autoclavable 20~150℃



Product Number	Capacity	Outer diameter of mouth/ bottom × height (mm)	Approximate scale (mL)
30-3004-55	100mL	φ12.5/φ61×182	100
30-3003-55	250mL	φ16.0/φ83×233	250
30-3002-55	500mL	φ18.5/φ104×289	500

※Dimensions have tolerances.
※Sales unit is 1 piece.

Features

- Break-proof plastic volumetric flasks with polyethylene stopper.
- Can be sterilized by autoclaving.
- ※However, product shrinkage may occur depending on the heating temperature.

Specifications

- Material: Methyl pentene resin (TPX®)
- Operating temperature range: 20 to 150℃
- Autoclavable
- ※Polyethylene stoppers cannot be autoclaved.

Individual item delivery



PP Conical Beaker

PP Autoclavable 0~121℃



Product Number	Capacity	Outer diameter of mouth/ bottom × height (mm)	Approximate scale (mL)
30-2804-55	100mL	47.5/φ60.0×89.5	50
30-2803-55	200mL	61.0/φ72.0×108.5	
30-2802-55	500mL	81.5/φ96.0×145.0	

※Dimensions have tolerances.
※Sales unit is 1 piece.

Features

- Excellent heat resistance and chemical resistance.
- The spout is easy to drain and does not drip.
- Can be sterilized by autoclaving.
- ※However, product shrinkage may occur depending on the heating temperature.

Specifications

- Material: Polypropylene (PP)
- Operating temperature range: 0 to 121℃
- Autoclavable

バラ出荷



PP Erlenmeyer Flask

PP Autoclavable 0~121℃



Product Number	Capacity	Outer diameter of mouth/ bottom × height (mm)	Approximate scale (mL)
30-3304-55	100mL	φ20.0/φ63×103.5	50
30-3303-55	250mL	φ26.0/φ87×142.5	
30-3302-55	500mL	φ28.0/φ108×170.5	Increments from 200 to 100

※Dimensions have tolerances.
※Sales unit is 1 piece.

Features

- When filled with solution, the beaker becomes transparent and can be checked with the naked eye.
- Can be sterilized by autoclaving.
- ※However, product shrinkage may occur depending on the heating temperature.

Specifications

- Material: Polypropylene (PP)
- Operating temperature range: 0 to 121℃
- Autoclavable

Individual item delivery



PP Volumetric Flask

PP Autoclavable 0~121℃



Product Number	Capacity	Outer diameter of mouth/ bottom × height (mm)	Approximate scale (mL)
30-3104-55	100mL	φ12.5/φ61×182	100
30-3103-55	250mL	φ16.0/φ83×233	250
30-3102-55	500mL	φ18.5/φ104×289	500

※Dimensions have tolerances.
※Sales unit is 1 piece.

Features

- Break-proof plastic volumetric flasks with polyethylene stopper.
- Can be sterilized by autoclaving.
- ※However, product shrinkage may occur depending on the heating temperature.

Specifications

- Material: Polypropylene (PP)
- Operating temperature range: 0 to 121℃
- Autoclavable
- ※Poly plugs cannot be autoclaved.

Individual item delivery

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot

Individual item sales mark
The items are sold in units of 1 piece.Pack sales mark
The items are sold in units of packs.Small box sales mark
The items are sold in units of small boxes.Case sales mark
The items are sold in case units.Sample mark
Sample items are available.No return mark
Due to the nature of the product, this product cannot be returned.Packing mark
Packing specifications are in place.No inner cap mark
No inner cap. This specification eliminates the need to attach an inner cap.PP Material mark
Material of each product is shown.Autoclave mark
This product is autoclavable.Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum pot

TPX® Graduated Cylinder

TPX® Autoclavable 20°C~170°C



Product Number	Capacity	Approximate scale (mL)
1-2051-01	10mL	0.1
1-2051-02	20mL	0.2
1-2051-03	50mL	0.5
1-2051-04	100mL	1
1-2051-05	200mL	2
1-2051-06	300mL	
1-2051-07	500mL	5
1-2051-08	1L	10

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)				(Unit: mm)
	A	B	C	D	
10mL	19.5	φ 14.0	47.0	160.0	
20mL	22.5	φ 17.0	53.0	190.0	
50mL	30.5	φ 24.0	64.0	218.0	
100mL	40.0	φ 33.0	75.0	246.5	
200mL	49.0	φ 41.0		272.0	
300mL	51.5	φ 44.0	88.0	332.0	
500mL	64.5	φ 54.0	99.5	357.5	
1L	81.0	φ 70.0	114.5	414.0	

※Dimensions have tolerances.

Specifications

- Material: Methyl pentene resin (TPX®)
- Operating temperature range: 20 to 170℃
- Autoclavable

Individual item delivery

PP Graduated Cylinder

PP 0°C~121°C



Product Number	Capacity	Approximate scale (mL)
30-0309-55	10mL	0.1
30-0308-55	20mL	0.2
30-0307-55	50mL	0.5
30-0306-55	100mL	1.0
30-0305-55	200mL	2.0
30-0303-55	300mL	
30-0302-55	500mL	5.0
30-0301-55	1L	10.0

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)				(Unit: mm)
	A	B	C	D	
10mL	19.5	φ 14.0	47.0	161.0	
20mL	22.5	φ 17.0	53.0	191.0	
50mL	30.5	φ 24.0	64.0	218.0	
100mL	40.0	φ 33.0	75.0	247.0	
200mL	49.5	φ 41.0	75.0	274.0	
300mL	52.5	φ 44.0	88.0	332.5	
500mL	65.5	φ 54.0	100.0	358.0	
1L	81.0	φ 70.0	115.0	416.5	

※Dimensions have tolerances.

Specifications

- Material: Polypropylene (PP)
- Operating temperature range: 0 to 121℃

Individual item delivery

Chemical Graduated Cylinder

PMMA 20°C~50°C



Product Number	Capacity	Approximate scale (mL)
30-0110-55	10mL	0.1
30-0109-55	20mL	0.2
30-0108-55	50mL	0.5
30-0107-55	100mL	1.0
30-0106-55	200mL	
30-0105-55	250mL	2.0
30-0104-55	300mL	
30-0103-55	500mL	5.0
30-0102-55	1L	10.0

※Sales unit is 1 piece.

Capacity	Outer dimension (mm)				(Unit: mm)
	A	B	C	D	
10mL	15.5	φ 13.0	47.0	188.5	
20mL	18.0	φ 15.0	53.0	229.5	
50mL	28.5	φ 24.0	64.5	240.5	
100mL	38.0	φ 32.0	75.5	249.0	
200mL	47.0	φ 40.0	76.0	278.5	
250mL	48.5	φ 42.0	85.0	310.0	
300mL	52.0	φ 45.0	88.0	340.0	
500mL	65.5	φ 55.0	100.0	369.0	
1L	79.0	φ 68.0	115.0	410.0	

※Dimensions have tolerances.

Features

- Transparency is high, and silkscreen printing scale is clear and has an easy-to-see design.
- Can be used for a wide range of applications, from research and experiments to school materials.

Specifications

- Material: Acrylic resin (PMMA)
- Operating temperature range: 20 to 50℃

Individual item delivery

No return

PS (Polystyrene) Water Tank

PS 20°C~60°C



Quantity per case	
φ 240	φ 300
20 pieces	10 pieces

Product Number	Model No.	Outer diameter × height (mm)
31-3001-55	φ 240	φ 263 × 124
31-3002-55	φ 300	φ 322 × 152

※Dimensions have tolerances.

※Sales unit is 1 piece.

Features

- Convenient tank for school teaching materials and animal/fish breeding experiments.
- Stackable and space-saving structure.

Specifications

- Material: Polystyrene (PS)
- Operating temperature range: 20 to 60℃

Case sales

No return

Individual item sales mark
The items are sold in units of 1 piece.Pack sales mark
The items are sold in units of packs.Small box sales mark
The items are sold in units of small boxes.Case sales mark
The items are sold in case units.Sample mark
Sample items are available.No return mark
Due to the nature of the product, this product cannot be returned.Packing mark
Packing specifications are in place.No inner cap mark
No inner cap: This specification eliminates the need to attach an inner cap.PP Material mark
Material of each product is shown.Autoclavable
This product is autoclavable.Operating temperature range mark
Indicates the operating temperature range of each product.

Functional Containers

ECO PLASTIC

Fluorine gas
coatingClean bottle
(Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water
sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with
cock

Taper jar/tank

Cock

Square box

Ointment
container

PP clear jar

Techno bottle

Large polycarbonate
bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker
PE hand beakerBeaker (TPX/PP
no handle)Beaker (TPX/PP
with handle)Measuring cup
(PC/PP)Beaker
(Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel

Devices

Desiccator

Small vacuum
pot

Easy Dropper

LDPE

Operating temperature range
-30℃~60℃

Product Number	Model No.	Capacity	Overall length (mm)	Quantity
3-373-01	ES-1	1mL	100	500 (100 pieces × 5)
3-373-02	ES-2	2mL	115	500 (100 pieces × 5)

※Sales Unit 1 case (100 pieces/bag × 5 bags)
※Dimensions have tolerances.

Quantity per carton	
ES-1	ES-2
2,000 pieces	

Small box sales

Sample

Features


- ✦ Economical dropper.
- ✦ Sterilized by gamma ray.

Specifications

- ✦ Low-density polyethylene (LDPE)
- ✦ Operating temperature range: -30 to 60℃

Chemical Dropper

LDPE

Operating temperature range
-30℃~60℃

Product Number	Capacity	Diameter × overall length (mm)	Approximate scale (mL)	Quantity
5-5652-01	1mL	φ20×190	0.5	1 bag (10 pieces)
5-5652-02	2mL	φ23×250		
5-5652-03	3mL	φ24×260		
5-5652-04	5mL	φ28×270	1	1 bag (3 pieces)
5-5652-05	10mL	φ33×280		
5-5652-06	20mL	φ38×390		
5-5652-07	50mL	φ56×530	2	1 bag (2 pieces)

※Dimensions have tolerances. ※Sales unit is 1 bag

Quantity per carton						
1mL	2mL	3mL	5mL	10mL	20mL	50mL
1,000 pieces	700 pieces	600 pieces	400 pieces	300 pieces	120 pieces	90 pieces

Specifications

- ✦ Material: Low-density polyethylene (LDPE)
- ✦ Operating temperature range: -30 to 60℃

Pack sales

Sample

Disposable Dropper

LDPE

Operating temperature range
-30℃~60℃

Product Number	Model No.	Approximate scale (mL)	Quantity
30-4101-55	DP-1	170	1 bag (100 pieces)
30-4102-55	DP-2	154	
30-4103-55	DP-3	150	

※Dimensions have tolerances.
※Sales unit is 1 bag

Quantity per carton		
DP-1	DP-2	DP-3
2,000 pieces		

Pack sales

Sample

Features

- ✦ Simple pipette with excellent chemical resistance and high transparency.
- ✦ The tip can be easily sealed with a flame or a hot iron.
- ✦ Equipped with scale

Specifications

- ✦ Material: Low-density polyethylene (LDPE)
- ✦ Capacity: DP-1: 2.5mL, DP-2: 2.7mL, DP-3: 2.5mL
- ✦ Operating temperature range: -30 to 60℃

Plastic Universal Dropper

LDPE

Operating temperature range
-30℃~60℃

Product Number	Capacity	Diameter × overall length (mm)	Approximate scale (mL)	Quantity
30-4202-55	1mL	φ13×105	0.15	1 bag (100 pieces)
30-4201-55	3mL	φ16×115	0.50	

※Dimensions have tolerances.
※Sales unit is 1 bag

Quantity per carton	
1mL	3mL
3,000 pieces	2,000 pieces

Pack sales

Sample

Features

- ✦ Flexible LDPE dropper with molded scale.

Specifications

- ✦ Material: Low-density polyethylene (LDPE)
- ✦ Operating temperature range: -30 to 60℃

J Washing Bottle

Body LDPE
Cap LLDPEPipe LDPE
-30℃~60℃

Product Number	Capacity	Body diameter × bottle height/overall height (mm)	Approximate scale	Quantity
30-2204-55	100mL	φ48.0×103.0/173.0	10mL	1 box (12 units)
30-2203-55	250mL	φ60.0×136.5/206.5	25mL	
30-2202-55	500mL	φ73.0×172.0/242.0	50mL	1 box (6 units)
30-2201-55	1L	φ85.0×243.0/313.0		
30-2314-55	Nozzle for 100 mL	—	—	—
30-2313-55	Nozzle for 250 mL			
30-2312-55	Nozzle for 500 mL			
30-2311-55	Nozzle for 1 L			

※Dimensions have tolerances. ※Sales unit is 1 piece.
※The bend angle and overall height of the nozzle may vary due to hand processing.

Quantity per case			
100mL	250mL	500mL	1L
120 pieces		60 pieces	

Features

- ✦ Molded scale on the circumference of the bottle allows the contents to be measured at any position.
- ✦ The mouth of the bottle is large, making it easy to inject distilled water and chemicals.


Specifications

- ✦ Material: Body, Pipe/Low-density polyethylene (LDPE)
Cap/Linear polyethylene (LLDPE)
- ✦ Operating temperature range: -30 to 60℃
- ✦ Mouth inner diameter: φ32.0mm

Small box sales

Poly Funnel (PE, Joint Type)

HDPE

Operating temperature range
-30℃~70℃

Features

- ✦ Standard liquid filtration funnel with excellent chemical resistance.
- ✦ A wide variety of sizes are available, with 11 types ranging from φ30 to φ300.
- ✦ The φ210, 240, and 300 have removable feet.
- ✦ (The 30A pipe threads allow for installation of ball valves.)

Specifications

- ✦ Material: High-density polyethylene (HDPE)
- ✦ Operating temperature range: -30 to 70℃



Product Number	Item name	Top outer diameter (mm)	Minimum outer diameter of foot (mm)	Maximum outer diameter of foot (mm)	Foot height (mm)	Overall height (mm)	Outer diameter of joint part (mm)
6-316-14	φ300	φ306.0	φ29.0	φ32.0	225.0	435.0	φ46.0
6-316-13	φ240	φ245.0	φ24.0	φ27.0	180.0	356.0	φ46.0
6-316-12	φ210	φ215.0	φ21.0	φ24.0	155.0	305.0	φ46.0
6-316-08	φ180	φ185.0	φ20.0	φ22.5	147.0	287.0	—
6-316-07	φ150	φ147.5	φ13.0	φ16.5	102.0	214.0	—
6-316-06	φ120	φ127.0	φ15.5	φ17.0	100.0	194.0	—
30-1607-55	φ90	φ90.0	φ11.0	φ13.5	59.0	124.0	—
30-1608-55	φ80	φ80.0	φ10.0	φ12.0	49.0	107.0	—
30-1609-55	φ60	φ63.5	φ9.5	φ11.0	49.0	94.0	—
30-1610-55	φ40	φ42.0	φ8.5	φ10.0	33.0	60.0	—
30-1611-55	φ30	φ30.5	φ6.0	φ7.0	20.0	40.0	—
6-316-15	Set of 4 legs Compatible with φ210, 240, 300 4 sizes/set	—	φ38.0	φ41.0	225.0	—	φ46.0
			φ29.0	φ32.0	225.0		φ46.0
			φ24.0	φ27.0	180.0		φ46.0
			φ21.0	φ24.0	155.0		φ46.0

Packing

Packing mark
Packing specifications
are in place.

No inner cap

No inner cap mark
No inner cap: This specification
eliminates the need to attach
an inner cap.

PP

Material mark

Material of each product is shown.

Autoclave

Autoclave mark
This product is autoclavable.

Operating temperature range

Operating temperature range mark
Indicates the operating temperature range of
each product.

Functional Containers

ECO PLASTIC

Fluorine gas coating

Clean bottle (Washing bottle)

Sealed bottle

Containers

Small container

JP bottle

J bottle

Standard bottle

NP bottle

Sterile water sampling bottle

Vial (PET screw)

Vial (Push)

Flat square can

Bottle with cock

Taper jar/tank

Cock

Square box

Ointment container

PP clear jar

Techno bottle

Large polycarbonate bottle

Multi bottle

Trigger bottle

Instruments

Disposable beaker

PE hand beaker

Beaker (TPX/PP no handle)

Beaker (TPX/PP with handle)

Measuring cup (PC/PP)

Beaker (Conical)

Flask

Cylinder

Water tank

Dropper

Washing bottle

Funnel


Devices

Desiccator

Small vacuum pot

POLYCARBONATE DESICCATORS
Polycarbo Desiccator

Packing Body PC 0 to 55°C




Features

- The lid, body, and shelves are all made of PC, which is less susceptible to breakage and more durable than glass. (Ratio of glass weight is about 1/3)
- The joint between the lid and body is non-vaseline and maintenance free.
- Vacuuming is possible up to 1 Torr.

Specifications

- Material: Body/Polycarbonate (PC), O-ring/NBR
- Operating temperature range: 0 to 55°C (assuming reduced pressure use)
- Needle valve 1/8 attached (RD-240V/300V only)



Polycarbo Desiccator

Product Number	Model No.	Tray diameter (ø mm)
20-7001-55	RD-240	235
20-7002-55	RD-240V	
65-9171-54	RD-240V Vacuum gauge attachment (top)	
65-9171-55	RD-240V Vacuum gauge attachment (side)	
20-7003-55	RD-300	297
20-7004-55	RD-300V	
65-9171-56	RD-300V Vacuum gauge attachment (top)	
65-9171-57	RD-300V Vacuum gauge attachment (side)	

※Dimensions have tolerances.
※Use at room temperature.
※Sales unit is 1 piece.

Option for polycarbonate desiccators

Product Number	Model No.
20-7008-55	Vacuum gauge (Bourdon tube ø60)
20-7009-55	Needle valve with vacuum gauge (ø60)
2070-10	Needle valve 1/8
20-7011-55	PC spare plate ø240 mm (for RD-240)
20-7012-55	PC spare plate ø300 mm (for RD-300)
9000-04	Vacuum gauge attachment cost

※Sales unit is 1 piece.

Size Table

Capacity	Dimension (mm)				(Unit: mm)
	A	B	C	D	
RD-240	φ 295			298	
RD-240V					
RD-240V Vacuum gauge attachment (top)	315	φ 239	188	390	
RD-240V Vacuum gauge attachment (side)	355			298	
RD-300	φ 366			371	
RD-300V					
RD-300V Vacuum gauge attachment (top)	386	φ 300	240	463	
RD-300V Vacuum gauge attachment (side)	426			371	

※Dimensions have tolerances.
※Instruction manual can be obtained from our website.

COMPACT VACUUM DESICCATORS
Small Vacuum Pot

Packing Clasp PP Body PC 0 to 55°C



Features

- Durable, unbreakable and light-weight product.
- Vacuuming is possible up to 1 Torr.
- It is small and convenient for carrying.
- Vacuuming can be easily performed without taking up much space.

Specifications

- Specification Material: Body/Polycarbonate (PC), O-ring/silicone, clasp/polypropylene (PP)
- Operating temperature range: 0 to 55°C (assuming reduced pressure use)

※Drilling is required for installation.
※Instruction manual can be obtained from our website.

Small Vacuum Pot

Product Number	Model No.	Specifications
2-5090-01	MVP-100H	No valve
2-5090-03	MVP-100HV	With valve
2-5090-05	MVP-100HV with Vacuum Gauge attachment (top)	With valve and vacuum gauge
2-5090-02	MVP-100M	No valve
2-5090-04	MVP-100MV	With valve
2-5090-06	MVP-100MV with Vacuum Gauge attachment (top)	With valve and vacuum gauge

※Sales unit is 1 piece.

Small Vacuum Pot Option

Product Number	Model No.
20-7008-55	Vacuum gauge (Bourdon tube ø60)
2070-10	Needle valve 1/8
9000-04	Vacuum gauge attachment cost

※Sales unit is 1 piece.

Size Table

Capacity	Outer dimension (mm)					(Unit: mm)
	A	B	C	D	E	
MVP-100M		156				
MVP-100MV	254		175	136		
MVP-100MV Vacuum Gauge attachment (Top)	354	186				
MVP-100H		156				
MVP-100HV	304		225	187		
MVP-100HV with Vacuum Gauge attachment (Side)	400	186				

※Dimensions have tolerances.

Information about custom order

We will capitalize on all the expertise of the NIKKO brand that we have gathered so far to meet the shapes and specification requests by our customers. Please feel free to contact us.

Contact Information
Sales department

TEL:06-4801-7727

How to Order



Individual item sales mark
The items are sold in units of 1 piece.

Pack sales mark
The items are sold in units of packs.

Small box sales mark
The items are sold in units of small boxes.

Case sales mark
The items are sold in case units.

Sample mark
Sample items are available.

No return mark
Due to the nature of the product, this product cannot be returned.

Packing mark
Packing specifications are in place.

No inner cap mark
No inner cap. This specification eliminates the need to attach an inner cap.

PP Material mark
Material of each product is shown.

Autoclave mark
This product is autoclavable.

Operating temperature range mark
Indicates the operating temperature range of each product.

List of Chemical Resistance of Various Materials

PP: Polypropylene PE: Polyethylene F-PP Fluorine gas coating PP F-PE: Fluorine gas coating PE TPX: Polymethylpentene
PC: Polycarbonate PS: Polystyrene PMMA: Acrylic PVC: Vinyl chloride PAN: Polyacrylonitrile PET: Polyethylene terephthalate

⊙: Little or no effect ○: There is some effect, but it is tolerable △: Better to use as less as possible ×: There is significant effect, not suitable for use

	Chemical name (Mass concentration % and temperature°C)	PP	PE	F-PP	F-PE	TPX	PC	PS	PMMA	PAN	PET
Inorganic Acids	Sulfurous acid (10/RT)	⊙	⊙	—	—	⊙	—	—	—	⊙	—
	Hydrochloric acid (10/RT)	⊙	⊙	⊙	⊙	⊙	—	—	○	⊙	○
	Hydrochloric acid (20/RT)	⊙	⊙	⊙	⊙	⊙	○	—	○	⊙	—
	Hydrochloric acid (20/80)	○	△	⊙	○	○	△	×	△	⊙	—
	Hydrochloric acid (38/RT)	⊙	⊙	⊙	⊙	⊙	△	—	○	⊙	—
	Aqua regia	△	×	△	△	×	×	×	×	×	—
	Perchloric acid	△	○	○	○	△	○	—	—	—	—
	Chromic acid (2/70)	○	○	○	○	○	○	×	○	⊙	—
	Chromic acid (5/70)	○	○	○	○	○	○	×	○	⊙	—
	Chromic acid (10/70)	△	△	○	○	△	△	×	○	⊙	—
	Chromic acid (25/70)	×	×	○	○	×	×	×	×	⊙	—
	Chlorosulfonic acid	×	×	—	—	×	×	×	×	—	—
	Pickling agent (Nitric acid 20%+ Hydrofluoric acid6%)	⊙	⊙	⊙	⊙	⊙	△	—	×	—	—
	Pickling agent (Nitric acid 40%+ Hydrofluoric acid15%)	⊙	⊙	⊙	⊙	⊙	△	—	×	—	—
	Hypochlorous acid	⊙	⊙	⊙	⊙	⊙	—	—	○	—	—
	Cyanhydric acid	⊙	⊙	—	—	⊙	—	—	○	—	—
	Hydrobromic acid (20/RT)	⊙	⊙	⊙	⊙	⊙	○	—	○	—	—
	Hydrobromic acid (20/70)	⊙	○	⊙	○	○	△	×	△	—	—
	Hydrobromic acid (37/RT)	⊙	⊙	⊙	⊙	⊙	○	—	○	—	—
	Nitric acid (10/RT)	⊙	⊙	⊙	⊙	⊙	○	△	⊙	×	—
	Nitric acid (10/70)	○	○	⊙	○	○	○	×	×	⊙	×
Inorganic Alkali	Nitric acid (30/RT)	○	○	○	○	○	△	×	×	⊙	×
	Nitric acid (30/70)	△	△	○	△	×	×	×	×	⊙	×
	Nitric acid (Fuming/RT)	×	×	—	—	×	×	×	×	×	×
	Nitric acid (61.3/RT)	△	△	△	△	△	×	×	×	—	×
	Carbonic acid	○	○△	—	—	○	⊙	—	—	⊙	—
	Arsenic acid	⊙	⊙	—	—	⊙	○	—	○	⊙	—
	Hexafluorosilicic acid	⊙	○	⊙	⊙	⊙	—	⊙	—	—	—
	Hydrofluoric acid (10/RT)	⊙	⊙	⊙	⊙	⊙	⊙	—	○	⊙	×
	Hydrofluoric acid (20/RT)	⊙	⊙	⊙	⊙	⊙	—	○	○	×	×
	Hydrofluoric acid (40/RT)	⊙	⊙	⊙	⊙	⊙	—	○	○	×	×
	Boron fluoride	⊙	⊙	⊙	⊙	⊙	⊙	—	—	—	—
	Boric acid	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	×
	Anhydrous hydrofluoric acid	⊙	○	⊙	⊙	⊙	×	×	×	⊙	—
	Sulfuric acid (10/RT)	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	○
	Sulfuric acid (10/70)	⊙	○	⊙	○	⊙	○	○	△	⊙	—
	Sulfuric acid (30/RT)	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	△
	Sulfuric acid (30/70)	⊙	○	⊙	⊙	⊙	○	△	△	⊙	—
	Sulfuric acid (98/RT)	△	△	△	△	△	×	×	×	—	×
	Sulfuric acid (Fuming/RT)	△	×	—	—	×	×	×	×	×	×
	Phosphoric acid (50/RT)	⊙	⊙	⊙	⊙	⊙	⊙	—	○	⊙	—
Organic Solvents	Phosphoric acid (50/70)	⊙	⊙	⊙	⊙	⊙	○△	—	○△	⊙	—
	Phosphoric acid (75/RT)	⊙	⊙	⊙	⊙	⊙	⊙	—	○	⊙	—
	Ammonia (Anhydrous)	⊙	⊙	△	△	⊙	—	—	—	—	—
	Ammonia gas (Cool)	—	⊙	—	—	—	—	—	—	⊙	—
	Ammonia gas (Heated)	—	—	—	—	—	—	—	—	△	—
	Liquid ammonia	○	⊙	△	△	—	—	—	—	⊙	—
	Caustic soda (Sodium hydroxide) (10/RT)	⊙	⊙	×	×	⊙	△	⊙	○	⊙	○
	Caustic soda (Sodium hydroxide) (30/RT)	⊙	⊙	×	×	⊙	△	—	△	⊙	×
	Caustic soda (Sodium hydroxide) (300/70)	○	○	×	×	⊙	×	—	△	⊙	×
	Ammonium hydroxide (Ammonia water) (28%)	⊙	⊙	×	×	⊙	—	—	○	⊙	×
	Potassium hydroxide	⊙	⊙	×	×	⊙	×	—	△	⊙	—
	Calcium hydroxide	⊙	⊙	×	×	⊙	⊙	⊙	⊙	⊙	—
	Barium hydroxide	⊙	⊙	×	×	⊙	⊙	⊙	⊙	⊙	—
	Magnesium hydroxide	⊙	⊙	×	×	⊙	⊙	⊙	⊙	⊙	—
	Hydrazine	—	—	—	—	—	—	—	—	—	—
	Ethyl acrylate	—	—	—	—	—	△	—	×	—	—
	Butyl acrylate	△	△	—	—	—	△	×	×	—	—
	Acrylonitrile	—	○	⊙	⊙	—	—	—	—	—	—
	Acetylene	⊙	⊙	⊙	—	⊙	⊙	⊙	—	—	—
	Acetamide	○	○	○	○	○	—	—	—	—	—
	Acetaldehyde	○	○	○	○	○	△	—	—	—	—
	Agent: Ethyl acetoacetate	—	—	—	—	—	×	—	×	—	—
	Acetone	△	△	○	○	△	×	×	×	△	×
	Aniline	△	△	○	△	△	—	△	×	—	—

Chemical name (Mass concentration % and temperature °C)	PP	PE	F-PP	F-PE	TPX	PC	PS	PMMA	PAN	PET	
Anon=Cyclohexane	—	—	—	—	—	—	—	—	—	—	
Amyl alcohol	○	○	⊙	⊙	○	△	—	×	—	—	
Amyl naphthalene	○	○	○	○	○	—	—	—	—	—	
Benzyl benzoate	—	—	—	—	—	—	—	—	—	—	
Isooctane	—	△	—	—	—	—	—	△	—	—	
Isobutyl alcohol	⊙	⊙	⊙	⊙	⊙	○	—	△	—	—	
Isopropyl alcohol	⊙	⊙	⊙	⊙	⊙	○	—	×	⊙	—	
Isopropyl ether	○	○	⊙	⊙	○	△	—	×	—	—	
Ether (Diethyl ether)	—	—	○	○	—	—	—	—	—	—	
Ethanolamine	○	○	⊙	⊙	○	△	—	—	—	—	
Ethyl alcohol (Ethanol)	○	○	⊙	⊙	○	○	—	—	—	—	
Ethyl ether = Diethyl ether	—	—	○	○	△	—	—	—	○	—	
Ethyl cellulose	⊙	⊙	—	—	⊙	—	—	×	—	—	
Ethylbenzene	△	×	○	○	△	×	△	—	×	⊙	○
Ethylene oxide	—	—	○	○	—	×	—	×	—	△	
Ethylene glycol	⊙	⊙	⊙	⊙	⊙	○	—	—	⊙	○	
Ethylene chlorohydrin	△	△	—	—	△	×	—	×	—	—	
Ethylenediamine	○	○	—	—	○	△	—	×	—	—	
Epichlorohydrin	—	—	—	—	—	△	×	—	—	—	
Chloroethane	△	×	△	△	△	×	×	×	×	—	
Benzyl chloride	—	—	—	—	—	—	—	—	—	—	
Methyl chloride	△	×	△	△	△	×	×	×	×	×	
Chlorinated solvent	×	×	—	—	×	×	×	×	×	—	
Octyl alcohols	⊙	○	—	—	○	○	—	△	—	—	
Oleic acid	○	△	⊙	⊙	○△	○×	—	×	—	—	
Carbitol	—	○	—	—	—	—	—	×	—	—	
Formic acid (25/RT)	⊙	⊙	⊙	⊙	⊙	○	—	—	—	—	
Formic acid (50/RT)	⊙	⊙	⊙	⊙	⊙	○	—	—	—	—	
Formic acid (90/RT)	⊙	⊙	⊙	⊙	⊙	○	—	×	—	—	
Xylene	△	○	⊙	⊙	△	×	×	○△	—	—	
Citric acid	⊙	⊙	⊙	⊙	⊙	○	⊙	⊙	⊙	—	
Glycerin	⊙	⊙	⊙	⊙	⊙	⊙	—	—	—	—	
Cresol	○	○	⊙	⊙	○	×	—	×	—	—	
Chloroacetone	△	×	○	○	△	×	×	×	×	△	
Chlorotoluene	△	×	○	○	△	×	×	×	×	—	
Chloronaphthalene	—	—	—	—	—	×	×	×	×	—	
Chloroform	×	×	○	○	×	×	×	×	×	—	
Silicate ester	—	—	—	—	—	△	—	×	—	—	
Ethyl silicate	—	—	—	—	—	—	—	—	—	—	
Acetic acid (10/RT)	⊙	⊙	⊙	⊙	⊙	⊙	—	○	⊙	○	
Acetic acid (50/RT)	○	○	⊙	⊙	○	⊙	—	△	⊙	×	
Acetic acid (50/70)	△	△	○	△	—	△	△	—	⊙	—	
Acetic acid (100/RT)	△	△	△	△	△	×	—	×	⊙	—	
Amyl acetate	△	△	○	○	△	×	×	×	×	—	
Isopropyl acetate	△	△	○	○	△	×	×	×	×	—	
Ethyl acetate	△	△	○	○	△	×	—	△	—	×	
Acetic acid semi solve	—	—	—	—	—	△	—	×	—	—	
Butyl acetate	△	△	○	○	△	×	×	×	×	—	
Propyl acetate	△	△	○	○	△	×	×	×	×	—	
Methyl acetate	△	×	○	○	×	×	×	×	⊙	—	
Salicylic acid	⊙	⊙	⊙	⊙	⊙	—	—	—	⊙	—	
Diphenyl oxide	—	—	—	—	—	—	—	×	—	—	
Diisopropyl ketone	△	×	○	○	△	×	×	×	×	—	
Diethyl ether	△	×	○	○	△	×	△	—	—	—	
Diethyl sebacate (DES)	△	△	—	—	△	—	—	—	—	—	
Tetraethyl lead	○	○	○	○	○	—	○	—	—	—	
Diethylene glycol	⊙	⊙	⊙	⊙	⊙	○	—	—	—	—	
Carbon tetrachloride	×	×	△	△	△	×	×	×	⊙	×	
Dioxane	—	—	⊙	⊙	—	—	—	—	—	—	
Diocetyl sebacate (DOS)	○	△	—	—	—	—	—	—	—	—	
Diocetyl phthalate (DOP)	○	○	—	—	○	—	—	—	—	—	
Cyclohexanol	○	○	⊙	⊙	—	○	—	×	—	—	
Cyclohexane (Anon)	△	△	○	○	△	×	×	×	—	×	
Cyclohexane	△	×	○	○	△	×	⊙	×	×	—	
Cyclobenzene	△	×	—	—	△	×	×	×	×	×	

Chemical name (Mass concentration % and temperature °C)	PP	PE	F-PP	F-PE	TPX	PC	PS	PMMA	PAN	PET	
Organic Solvents	Diphenyl	—	—	—	—	—	—	—	—	—	
	Dibutyl ether	△	×	—	—	△×	△	—	×	⊙	—
	Dibutyl phthalate (DBP)	○	○	—	—	○	—	—	△	⊙	—
	Fatty acids	△	△	—	—	△	○	—	×	—	△
	Dimethylaniline	—	—	△	△	—	—	×	—	—	—
	Dimethylformamide	△	△	○	○	△	×	×	×	—	—
	Oxalic acid	⊙	⊙	⊙	⊙	⊙	○	⊙	○	—	—
	Oxalic acid ethyl	—	△	—	—	—	—	—	—	—	—
	Tartaric acid	⊙	⊙△	⊙	⊙	⊙	×	⊙	⊙	—	—
	Styrene	○	△	—	—	—	—	—	×	—	—
	Stearic acid	⊙	⊙	⊙	⊙	⊙	○	—	○	⊙	—
	Butyl stearate	—	—	—	—	—	—	×	—	—	—
	Cellosolve	△	△	—	—	—	△	—	×	—	—
	Carbon dioxide gas (Liquid carbon)	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	—	—
	Tannic acid	⊙	⊙	—	—	⊙	—	—	—	⊙	—
	Tetrachloroethane	△	×	△	△	△×	○	×	×	—	—
	Tetrahydrofuran	△	×	△	△	△×	×	×	×	×	—
	Tetralin	△	×	—	—	△×	—	—	×	—	—
	Triacetin	—	—	—	—	—	—	—	△	⊙	—
	Triethanolamine	○	○△	—	—	○	×	—	—	⊙	—
	Tricresyl phosphate	—	—	—	—	—	—	—	×	⊙	—
	Trichloroethylene	△	△	△	△	△	×	×	×	⊙	—
	Tributyl phosphate	—	—	—	—	—	—	—	—	⊙	—
	Toluene (Triol)	△	△	○	○	△	×	—	△	⊙	×
	Naphthalene	⊙	⊙	—	—	⊙	—	—	—	—	—
	Naphthenic acid	⊙	⊙	—	—	⊙	×	—	—	—	—
	Ethylene dichloride	○	○	○	○	○	—	×	×	—	—
	Methylene dichloride	△	△×	△	△	△×	—	×	×	—	—
	Ethylene dioxide	○	○	○	○	○	×	×	×	—	—
	Nitroethane	×	×	△	△	×	×	×	×	—	—
	Nitropropane	×	×	△	△	×	×	×	×	—	—
	Nitrobenzene	△×	×	△	△	×	—	×	×	—	×
	Nitromethane	×	×	△	△	×	—	×	×	—	×
	Lactic acid	⊙	⊙	⊙	⊙	⊙	×	○	○	⊙	×
	Perchloroethylene	△	×	—	—	○	—	×	×	—	—
	Hydroquinone	⊙	⊙	—	—	⊙	○	○	○	⊙	—
	Palmitic acid	⊙	⊙	—	—	⊙	×	—	—	—	—
	Picric acid	○	○	—	—	○	⊙	—	×	⊙	—
	Pinene	—	△	—	—	—	○	—	—	—	—
	Piperidine	—	—	—	—	—	⊙	—	—	—	—
	Pyridine	—	—	×	×	—	○	—	×	—	—
	Phenylhydrazine	—	—	—	—	—	—	—	—	—	—
	Phenol (Carbolic acid)	—	○	△	△	—	—	—	×	—	×
	Butyl alcohol(Butanol)	—	○	○	○	—	—	—	—	—	—
	Butyl cellosolve	—	—	—	—	—	×	—	×	—	—
	Furfuran	×	—	—	—	—	○	—	×	—	—
	Furfural	—	×	—	—	×	△	—	×	—	—
	113 Freon	—	—	○	○	—	—	—	—	—	—
	114 Freon	—	—	○	○	—	—	—	—	—	—
	11 Freon	—	—	○	○	—	—	—	—	—	—
12 Freon	—	—	○	○	—	—	—	—	—	—	
21 Freon	—	—	○	○	—	—	—	—	—	—	
22 Freon	—	—	○	○	—	—	—	—	—	—	
Propyl alcohol	○	○	○	○	○	○	—	×	⊙	—	
Fluorobenzene	△	×	△	△	△×	×	—	—	—	—	
Hexanaldehyde	—	×	—	—	—	—	—	—	—	—	
Hexane	△	×	○	○	△×	△	—	△	⊙	○	
Hexyl alcohols	○	○	○	○	○	○	—	△	⊙	—	
Benzyl alcohol	—	○	○	○	—	—	—	—	—	—	
Benzyl ether	△	△	—	—	△	△	—	×	⊙	—	
Benzaldehyde	△	△	○	○	△	—	—	—	—	—	
Benzene (Benzol)	△	△	○	○	△	×	—	△	⊙	×	
Aluminum borate	○	○	○	○	○	—	—	—	—	—	
Formaldehyde (Formalin) (40/RT)	⊙	○	⊙	⊙	⊙	⊙	—	○	—	—	
Maleic acid	⊙	⊙	⊙	⊙	⊙	⊙	—	○	—	—	


Outline of Molding Method

Injection Molding


1 Injection (Resin is melted and injected)




2 Resin infusion (Resin is injected into the mold)



3 Die cooling (Water is poured into the mold to solidify the product)



4 Product extraction (Mold is opened to extract the product)



■ Features


- Best suited for large-scale production (not recommended for small-scale)
- Die-making cost: High-price option
- Dimensional accuracy: Precision
- Product's radial thickness adjustment: Mold design changes required
- Designability: High

■ Our Products

- Graduated cylinder
- Beaker
- Cap
- Inner cap


Extrusion Blow Molding

1 Balisong (Cylindrical molten resin) extrusion




2 Mold closing

3 Cutting mouth piece




4 Blow molding



5 Mold opening (Mold is opened after cooling)

6 Extracting the product (Burr is removed from the mouth and bottom part)



■ Features


- Large-scale production: Best suited (Not recommended for small-scale)
- Die-making cost: Relatively low-cost option
- Dimensional accuracy: Lacks precision
- Product's radial thickness adjustment: Possible
- Designability: Low

■ Our Products

- J bottle
- TEA
- Standard bottle
- Flat square can
- Other

Stretch Blow Molding

1 Preform molding (Molding of base product)



2 Transferring to blow molding (The mouth is fixed with preform shape)




3 Mold clamping



4 Air blowing



5 Molding



6 Mold opening



7 Extraction

■ Features


- Best suited for large-scale production (not recommended for small-scale)
- Die-making cost: High-price option
- Dimensional accuracy: Precision
- Product's radial thickness design: Mold design changes required
- Designability: Low

■ Our Products


- JP bottle
- PET screw vial
- NP bottle ※ 100, 250 mL

Vacuum Molding (Continuous)


1 Sheet heat dissipation




2 Sheet transfer



3 Vacuuming



4 Finishing



■ Features

- Large-scale production: Best suited
- Die-making cost: High-price option
- Dimensional accuracy: Rough
- Product's radial thickness adjustment: Possible
- Designability: Low

■ Our Products

- Disposable beaker

▶▶ Mention the **code** and **product name** when placing an order. ▶▶ Custom-made products are also available upon request. Please feel free to contact us.

▶▶ Our product drawings can be obtained from our website. <https://www.nikko-hansen.com>